

Life Is On


Schneider  
Electric



 Price List

# Final Distribution, Wiring Devices and Lighting Control Products

With effect from January 11<sup>th</sup>, 2021



[se.com/in](https://se.com/in)



---

<b>Acti 9 Distribution System</b>	
> Miniature Circuit Breakers (MCBs)	8
> Residual Current Devices	12
> Auxiliaries and Accessories for MCBs / RCDs	14
> Surge Protection Devices	16
> Control and Command Products	18
<b>Acti 9 Distribution Boards</b>	
> Modular Distribution Boards - Metallic	24
<b>Kaedra Enclosures</b>	
> Weather Proof	28
<b>PratiKa</b>	
> Plugs and Sockets - IP44 / IP67	30
<b>Electra</b>	
> Metal Clad Plugs & Sockets	34
<b>56 Series</b>	
> Plugs and Sockets - IP56 / IP66	35
<b>Wiring Devices</b>	
> Wiser Odace™ Lighting	40
> LIVIA - Switch to the extra-ordinary	41
> Clipsal X - As Stylish As Your World	42
> Opale - Switches with Satin Finish	45
> Unica Pure - Irresistibly Beautiful	47
> ZENcelo India - The Revolutionary Full-Flat Switch	51
> ZENcelo BS - The Revolutionary Full-Flat Switch	53
> AvatarOn - It's also a Switch	55
> NEO - Face the Future	62
> ULTI Impress - The Ultimate Switch	64
> Kavacha - Weather Protected Series	66
> Metal Boxes	67
<b>Control System</b>	
> EzInstall 3 - ULTI ZIGBEE	68
> Hotel Series	69
> Wiser™	71
> Surface and Flush Mount Occupancy Sensors	72
> Dimmable Sensors with Light Regulation	72
> Wall Mount Sensors	73
> Hotel - ELV Dual Motion Sensor	73
> Timers & Time Switches	74
> Analog Timers	74

## > Protection devices

- Miniature circuit breakers
- Residual current circuit breakers
- Vigi™ residual current devices
- Surge Protection Devices

## > Protection monitoring and supervision

- Indication and tripping auxiliaries
- Remote control auxiliaries
- Automatic reclosure auxiliaries



Innovative  
Protection monitoring Total control and  
Metering @ DB level



Efficient  
Manage loads, reduce operating and project  
costs, and accurately plan maintenance

## > Control and monitoring

- Contactors
- Impulse relays
- Integrated control circuit breakers
- Light indicators
- Push-buttons and selector switches
- Kilowatt hour meters
- Communicating architecture

## > Installation system

- IP20B terminals
- Splitter blocks
- Full range of mounting and wiring accessories



Reliable

Dual certifications for one product, 100 percent MCB and RCD coordination, easy ordering and design, error free fast connections



# Acti 9 | Advanced Communication Technology that Inspires.....

## > Innovative

- Centralized control system including energy metering
- Large and variable data reading and computing through universal Modbus protocol

## > Efficient


- One-click, prefabricated wiring for comprehensive communication between your distribution board or panel and any facility management system

## > Reliable

- Error proof connection leading to reduction in downtime
- EMC tested for immunity, radiated and conducted safety

**NEW**

Email Notification upon Event (Devices Status Change, Alarm threshold reached etc.)




- > Status Monitoring - ON / OFF / TRIP
- > Trip Alarm Indication
- > Load Monitoring - No. of tripping cycles, Running Hours

- > Switching Action - ON / OFF
- > Monitoring - No. of Switching running hours



Meets the challenge of all your applications  
Detailed load control, reduced downtime and accurately planned maintenance

# Ready to connect to any facility management solution



## Green Premium Products

100% Recyclable and Recoverable  
REACH, RoHS, PEP, EOL compliant

### AC Miniature Circuit Breakers - xC60



- Breaking Capacity as per IEC 60898 and IS/IEC 60898-1, Icn = 10kA
- Breaking Capacity as per IEC 60947-2, Icn = 15kA, upto 40A
- Can be used for DC application upto 60V per pole
- Higher system performance with optimized cost: Cascading\*
- Increased System Continuity: Discrimination\*
- Higher Installation Life: Energy Limitation Class 3, Fast Closure Mechanism
- Ease, Speed and Flexibility of installation - Biconnect, Line-Load Reversible
- Field-fittable auxiliaries for advance protection and monitoring
- Positive Contact Indication for assurance of disconnection

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	

#### B curve

6	A9N1P06B ✓	369	A9N2P06B ✓	1097	A9N3P06B ✓	1787	A9N4P06B	2408
10	A9N1P10B ✓	369	A9N2P10B ✓	1097	A9N3P10B ✓	1787	A9N4P10B ✓	2541
16	A9N1P16B ✓	369	A9N2P16B ✓	1097	A9N3P16B ✓	1787	A9N4P16B ✓	2408
20	A9N1P20B ✓	369	A9N2P20B ✓	1097	A9N3P20B ✓	1787	A9N4P20B ✓	2408
25	A9N1P25B ✓	369	A9N2P25B ✓	1097	A9N3P25B ✓	1787	A9N4P25B ✓	2408
32	A9N1P32B ✓	369	A9N2P32B ✓	1097	A9N3P32B ✓	1787	A9N4P32B ✓	2408
40	A9N1P40B ✓	803	A9N2P40B ✓	1766	A9N3P40B ✓	2723	A9N4P40B ✓	3467
50	A9N1P50B	803	A9N2P50B	1766	A9N3P50B	2723	A9N4P50B	3467
63	A9N1P63B ✓	813	A9N2P63B ✓	1782	A9N3P63B ✓	2745	A9N4P63B ✓	3499

#### C curve

1	A9N1P01C ✓	567	A9N2P01C ✓	1519	A9N3P01C ✓	2354	A9N4P01C ✓	2964
2	A9N1P02C ✓	567	A9N2P02C ✓	1519	A9N3P02C ✓	2354	A9N4P02C ✓	2964
3	A9N1P03C ✓	567	A9N2P03C ✓	1519	A9N3P03C ✓	2354	A9N4P03C ✓	2964
4	A9N1P04C ✓	567	A9N2P04C ✓	1519	A9N3P04C ✓	2354	A9N4P04C ✓	2964
6	A9N1P06C ✓	350	A9N2P06C ✓	1097	A9N3P06C ✓	1787	A9N4P06C ✓	2408
10	A9N1P10C ✓	350	A9N2P10C ✓	1097	A9N3P10C ✓	1787	A9N4P10C ✓	2408
16	A9N1P16C ✓	350	A9N2P16C ✓	1097	A9N3P16C ✓	1787	A9N4P16C ✓	2408
20	A9N1P20C ✓	350	A9N2P20C ✓	1097	A9N3P20C ✓	1787	A9N4P20C ✓	2408
25	A9N1P25C ✓	350	A9N2P25C ✓	1097	A9N3P25C ✓	1787	A9N4P25C ✓	2408
32	A9N1P32C ✓	350	A9N2P32C ✓	1097	A9N3P32C ✓	1787	A9N4P32C ✓	2408
40	A9N1P40C ✓	803	A9N2P40C ✓	1766	A9N3P40C ✓	2723	A9N4P40C ✓	3317
50	A9N1P50C	803	A9N2P50C	1766	A9N3P50C	2723	A9N4P50C	3499
63	A9N1P63C ✓	813	A9N2P63C ✓	1782	A9N3P63C ✓	2745	A9N4P63C ✓	3558

#### D curve

1	A9N1P01D ✓	572	A9N2P01D	1535	A9N3P01D ✓	2391	----	----
2	A9N1P02D ✓	572	A9N2P02D ✓	1535	A9N3P02D ✓	2391	A9N4P02D	3064
3	A9N1P03D ✓	572	A9N2P03D ✓	1535	A9N3P03D ✓	2391	A9N4P03D	3146
4	A9N1P04D ✓	572	A9N2P04D ✓	1535	A9N3P04D ✓	2391	A9N4P04D	3146
6	A9N1P06D ✓	482	A9N2P06D ✓	1150	A9N3P06D ✓	1883	A9N4P06D ✓	2498
10	A9N1P10D ✓	482	A9N2P10D ✓	1150	A9N3P10D ✓	1883	A9N4P10D ✓	2498
16	A9N1P16D ✓	482	A9N2P16D ✓	1150	A9N3P16D ✓	1883	A9N4P16D ✓	2498
20	A9N1P20D ✓	482	A9N2P20D ✓	1150	A9N3P20D ✓	1883	A9N4P20D ✓	2498
25	A9N1P25D ✓	482	A9N2P25D ✓	1150	A9N3P25D ✓	1883	A9N4P25D ✓	2498
32	A9N1P32D ✓	482	A9N2P32D ✓	1150	A9N3P32D ✓	1883	A9N4P32D ✓	2498
40	A9N1P40D ✓	867	A9N2P40D ✓	1867	A9N3P40D ✓	2884	A9N4P40D ✓	3617
50	A9N1P50D	908	A9N2P50D	1867	A9N3P50D	2884	A9N4P50D	3617
63	A9N1P63D	877	A9N2P63D ✓	1889	A9N3P63D ✓	2910	A9N4P63D ✓	3654

**Note:** \* Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart  
\*\*18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 11, 2021



### AC Miniature Circuit Breakers - C120



- Breaking capacity as per IEC 60898, Icn = 10kA/15kA
- Positive Contact Indication for assurance of disconnection
- Degree of pollution: 3 (suitable for industrial environment)
- Operating Temperature: -30 to 70°C
- Terminal connections: Flexible cables up to 35 sq.mm; Rigid cables up to 50 sq.mm

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
<b>C120N (10kA)</b>								
80	A9N18357 ✓	2976	A9N18361 ✓	6595	A9N18365 ✓	10362	A9N18372 ✓	13503
100	A9N18358 ✓	3339	A9N18362 ✓	7035	A9N18367 ✓	11044	A9N18374 ✓	14069
125	A9N18359 ✓	3674	A9N18363 ✓	7733	A9N18369 ✓	12249	A9N18376 ✓	15923
<b>C120H (15kA)</b>								
80	A9N18446	3669	A9N18457	8096	A9N18468	12177	A9N18479	16896
100	A9N18447	4048	A9N18458	8300	A9N18469	13266	A9N18480	18733
125	A9N18448	4422	A9N18459	9416	A9N18470	14317	A9N18481	19789

### DC Miniature Circuit Breakers - C60H



- Specially designed MCB for enhanced protection in DC installation
- Magnetic Arc Chutes to quick break DC current in event of fault
- Breaking capacity 6kA as per IEC 60947-2
- Voltage Rating: 1P - 250 V DC & 2P - 500 V DC
- Impulse Voltage: 6 kV
- Higher Installation Life: Energy Limiting Class: 3

[In] Rated Current (A)	Module Width 18mm/ module	1 Pole Reference	Unit MRP [₹]	Module Width 18mm/ module	2 Pole Reference	Unit MRP [₹]
MOQ		12 Nos.			6 Nos.	
<b>C60H-DC</b>						
0.5	1	A9N61500	1144	2	A9N61520	2992
1	1	A9N61501 ✓	1012	2	A9N61521 ✓	2090
2	1	A9N61502 ✓	1012	2	A9N61522 ✓	2090
3	1	A9N61503 ✓	1012	2	A9N61523 ✓	2090
4	1	A9N61504 ✓	1012	2	A9N61524 ✓	2090
5	1	A9N61505	1012	2	A9N61525	2090
6	1	A9N61506 ✓	831	2	A9N61526 ✓	1700
10	1	A9N61508 ✓	831	2	A9N61528 ✓	1700
16	1	A9N61511 ✓	831	2	A9N61531 ✓	1700
20	1	A9N61512 ✓	831	2	A9N61532 ✓	1700
25	1	A9N61513 ✓	831	2	A9N61533 ✓	1700
32	1	A9N61515 ✓	957	2	A9N61535 ✓	1700
40	1	A9N61517 ✓	1139	2	A9N61537 ✓	2508
50	1	A9N61518 ✓	1139	2	A9N61538 ✓	2508
63	1	A9N61519 ✓	1139	2	A9N61539 ✓	2508

### Special application MCBs



#### Solar Application – PV DC

- DC MCB for multi string PV installations
- Operating Voltage: 800V DC
- Current Rating up to 25A
- Complies to IEC / EN 60947-2



#### Rail Application\* (including Rolling Stock)

- Fire & smoke Resistant – Level 2 (NF F 16-101, NF F 16-102)
- Shock & vibration resistant (IEC 61373) – Cat 1, Class B
- Breaking Capacity: up to 25kA
- Complies to IEC / EN 60947-2



#### UL MCB

- Type: UL1077, UL489
- Breaking Capacity of 10kA
- Complies to IEC 60947-2 / UL1077 / UL489 / CSA

#### Note:

Please contact nearest Schneider Electric sales office or Customer Care for Reference and prices of Application Specific MCBs

\*Rail Application RCDs are also available on demand

\*\*18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### AC Miniature Circuit Breakers - NG125



- Compliance to IEC / EN 60947-2
- High Breaking Capacity MCBs – up to 50kA
- Current Rating up to 125A
- Trip on fault indication on front face of MCB
- Suitability for isolation in the industrial sector to IEC/EN 60947-2
- Available in B, C, D Curves

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	

#### NG125N – 25kA Breaking Capacity

10	18610	4373	18621	9620	18632	14592	18649	18535
16	18611	4373	18622	7420	18633	14592	18650	18535
20	18612	4378	18623	9620	18634	14592	18651	18530
25	18613	4373	18624	9620	18635	14597	18652	18535
32	18614	4373	18625	8993	18636	14597	18653	18530
40	18615	5638	18626	11919	18637	18266	18654	24030
50	18616	7035	18627	12386	18638	19085	18655	24266
63	18617	5638	18628	12969	18639	20526	18656	25372
80	18618	5946	18629	13937	18640	21577	18658	26708

#### NG125H – 36kA Breaking Capacity

10	18705	5148	18714	8558	18723	12199	18732	23221
16	18706	5148	18715	8558	18724	12199	18733	23221
20	18707	5143	18716	8558	18725	17430	18734	23221
25	18708	5143	18717	11292	18726	17424	18735	23227
32	18709	5143	18718	11292	18727	17430	18736	23221
40	18710	6298	18719	13052	18728	17749	18737	28221
50	18711	6419	18720	14113	18729	21797	18738	28985
63	18712	6595	18721	15153	18730	18183	18739	31818
80	18713	7255	18722	19785	18731	23524	18740	33556

#### NG125H – 50kA Breaking Capacity

10	18777	6413	18788	14014	18799	22077	18810	29414
16	18778	6413	18789	14014	18800	22077	18811	29414
20	18779	6413	18790	15109	18801	22077	18812	29414
25	18780	6413	18791	15103	18802	22072	18813	29414
32	18781	6413	18792	15103	18803	22072	18814	29414
40	18782	7783	18793	17974	18804	27588	18815	34920
50	18783	10930	18794	18882	18805	29541	18816	35943
63	18784	8173	18795	20202	18806	31015	18817	38467
80	18785	12040	18796	22198	18807	34386	18818	39738

\*\*18mm/module

**Note:** Reference provided above are for C Curve MCBs – B and D Curve details available on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Residual Current Devices (RCDs) - For Human and Fire Protection



**30  
mA**

Use of **30mA RCDs** is now **mandatory** for all **domestic intallations** in India {CEA Amendment regulation 2015\*}



**Schneider Electric provides voltage independent RCDs** which work on current sensing technology and provide protection from residual current even at extra low voltages (down to zero volts) and in case of break of neutral.

**SI  
Type**

**Schneider Electric offers SI RCD built to operate in electrically polluted or installation in aggressive environments:**

- Flourescent / Variable lighting with Electronic ballast
- Powerful IT / Telecom equipment / Air conditioning
- Severe Atmosphere - High lighting risk / Swimming pools

\* for Measures relating to Safety and Electric supply

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### AC Residual Current Circuit Breakers - xID



- Complies to standards IEC/EN 61008-1 and IS 12640
- AC Class protection
- Selective range available for time based discrimination
- Easy Monitoring: Earth fault indication and Test Button on front face
- Operating temperature up to +70°C
- Mandatory to use OF-S auxiliary to add any indication or tripping auxiliary

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16201	3796	4	A9N16251	5329
	100	2	A9N16203	4137	4	A9N16253	5560
	300	2	A9N16202	4263	4	A9N16252	5723
40	30	2	A9N16204	4468	4	A9N16254	5245
	100	2	A9N16205	4730	4	A9N16255	5591
	300	2	A9N16206	4961	4	A9N16256	5807
63	30	2	A9N16208	5381	4	A9N16258	6074
	100	2	A9N16209	5681	4	A9N16259	6605
	300	2	A9N16210	5796	4	A9N16260	6636
80	30	2	A9N16212	9046	4	A9N16261	10715
	100	2	A9N16213	9030	4	A9N16262	10689
	300	2	A9N16214	9198	4	A9N16263	10747

### AC Residual Current Circuit Breakers (RCCBs) - ID



- Complies to standards IEC 61008-1 and VDE 0664
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Electrical ON/OFF indication by using OFSP auxiliary

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
4P	100	30	4	**A9R11491	13942
		100	4	**A9R12491	14686
	125	30	4	16905	42677
		100	4	16906	41553
		300	4	16907	41746

Note: \*\*For 100A RCCB Auxiliary kindly contact Customer Care

### AC Residual Current Breaker Overload (RCBO) - DPN N Vigji



- Complies to standards IEC/EN 61009
- AC Class Protection; Tripping characteristics - C curve
- Overvoltage category (IEC 60364): IV
- Suitable for indication & tripping auxiliaries

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19661	5810
		300	2	A9N19681	5901
	10	30	2	A9N19663	5810
		300	2	A9N19683	5901
	16	30	2	A9N19665	5810
		300	2	A9N19685	5901
	20	30	2	A9N19666	5810
		300	2	A9N19686	5901
	25	30	2	A9N19667	5810
		300	2	A9N19687	5901
	32	30	2	A9N19668	5810
		300	2	A9N19688	6195
	40	30	2	A9N19669	7351
		300	2	A9N19689	7479

Note: Application specific RCDs also available with 10mA, 500mA and 1000mA sensitivities | Please contact nearest Schneider Electric Sales Office or Customer Care Center for Reference and Prices

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### SI Type Residual Current Circuit Breakers (RCCBs) - xID SI



- Complies to standard IEC/EN 61008-1
- SI RCDs offer enhanced immunity against Electrical Disturbances; Polluted and Corrosive environments - Guaranteed performance in harsh operating conditions
- Ensures continuity of supply in networks with:
  - Transient overvoltages
  - Loads generating HF leakage current i.e. harmonics
  - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with:
  - Pulsating DC components
  - HF applications which "Blinds" (non-tripping) the conventional RCDs

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16234	8512	4	A9N16321	9486
40	30	2	A9N16237	8940	4	A9N16324	9785
63	30	2	A9N16240	9197	4	A9N16327	10047
	300	2	A9N16246	9266	4	A9N16334	10454

### Vigi Block for xC60 (Add-on RCD Module, 2 & 4 Pole)



- Flexibility to use MCB of any tripping curve to suit applications, ensuring best 3 in 1 protection
- No auxiliary supply required
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Immune to nuisance tripping due to transient over voltages

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	1.5	A9N26581	6019	3	A9N26595	7228
	100	1.5	A9N26582	7656	3	A9N26596	7795
	300	1.5	A9N26583	8095	3	A9N26597	8389
63	30	2	A9N26611	8416	3.5	A9N26643	8448
	100	2	A9N26612	8913	3.5	A9N26644	8774
	300	2	A9N26613	9336	3.5	A9N26645	9181

**Note:** Vigi Block for High Rating up to 125A (C120) and High Breaking Capacity (NG125) available on demand

### SI Type Residual Current Breaker Overload (RCBO) - DPN N Vigi SI



- Complies to standard IEC/EN 61009
- Ensures continuity of supply in networks with:
  - Transient overvoltages
  - Loads generating HF leakage current i.e. harmonics
  - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with :
  - Pulsating DC components
  - HF applications which "Blinds" (non-tripping) the conventional RCDs

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19631	11567
	10	30	2	A9N19632	11567
	16	30	2	A9N19634	11567
		300	2	A9N19644	11567
	20	30	2	A9N19635	11567
		300	2	A9N19645	11567
	25	30	2	A9N19636	11567
		300	2	A9N19646	11567
	32	30	2	A9N19637	11567
		300	2	A9N19647	13766
	40	30	2	A9N19638	13696
		300	2	A9N19648	15242

\*For Prices, please contact nearest Schneider Electric Sales Office or Customer Care Center are Center for Reference and Prices

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. January 11, 2021



### Common Auxiliaries for xC60 / C120 / RCDs Range

- Field-fittable auxiliaries (clip fitted) mounted on left side with maximum width of 54mm
- Order: Tripping Auxiliaries (MN first) followed by Indication Auxiliaries (SD first)



Type	Module Width 18mm/module	Reference	Unit MRP [₹]
<b>Indication Auxiliaries</b>			
OF Auxiliary Switch: for ON/OFF indications	0.5	A9N26924	1134
SD Alarm Switch: for Trip on fault indications	0.5	A9N26927	1332
OF + SD/OF Auxiliary switch	0.5	A9N26929	3536
OF+SD24 auxiliary contact (ComReady)	0.5	A9N26899	2964
<b>Protection Auxiliaries – Trip Indication on front face</b>			
MN Under-voltage Release 220-240V AC	1	A9N26960	4762
MSU Over-voltage Release 275V AC	1	A9N26500	5639
<b>Tripping Auxiliaries – Trip Indication on front face</b>			
MX + OF Shunt Release 110-415V AC: for Remote tripping of Circuit Breaker	1	A9N26946	3098
MX + OF Shunt Release 12-24V AC/DC: for Remote tripping of Circuit Breaker	1	A9N26948	3098
<b>Auxiliary Switch for RCCBs – Mandatory for use of Auxiliaries with RCCBs</b>			
Auxiliary switch for RCCB up to 80A (OF-S)	0.5	A9N26923	1514
Auxiliary switch for RCCBs 125A (OFSP)	0.5	16940	2301

### Accessories



Type	Description	Reference	Unit MRP [₹]
Rotary Handle*	Breaker Switching Sub-Assembly	27046	4227
	Extended, Disconnectable handle	27047	2616
Padlock** (bag of 2)		26970	1017
Multicable terminal for 3 copper cables**		19096	8180
Aluminum cable terminal**		27060	621
Spacer		A9N27062	262

\* for xC60, C120, DPN N Vigi, C60H-DC, xSW - Multi poles only

\*\*for xC60, xID, DPN N Vigi, C60H-DC, xSW, C60PV-DC

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Protection Against Lightning Strikes And Switching Surges



For all low voltage switchboards and electrical enclosures:

## Comprehensive range

- To ensure the protection of equipment connected to:
- Low voltage networks,
- Telecommunications networks,
- Computer networks.
- Easy to implement and use.
- Compatibility with all earthing systems (TT, TNS, TNC, IT).
- Technical and aesthetic consistency

## Continuity of service and certified safety

Schneider Electric certified coordination between the surge arrester and its disconnection circuit breaker.

Compliance with standards: IEC/EN 61643-11.



More and more electrical equipment today is sensitive to overvoltages caused by lightning.



# 90%

of power outlets supply equipment incorporating electronic devices.



iQuick PRD “built-in” technology surge arresters, a Schneider Electric innovation, incorporate their own disconnection circuit breaker: easy to choose and simple to install for greater effectiveness.



Up to **30%** of installation time saved.

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### Surge Arresters - Type 1+ 2



- Complies to IEC 61643-1 and EN 61643-11
- Withdrawable type: Easy Replacement
- Inbuilt SPD health Indicator: Also available with remote signaling
- For protection against Direct lightning surge, Indirect lightning surge, Switching surge
- Iimp up to 25kA & Imax upto 40kA
- **Always use a Back-up MCB with your SPD**
- Maximum Operating Voltage [Uc]: 350V

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
PRD1 25r	1P	2	16329	15344
	1P + N	4	16330	33753
	3P	6	16331	50616
	3P + N	8	16332	62889

### Surge Arresters iPRD- Type 2 (Withdrawable type) (TT, TN-S, TN-C Systems)



- In conformance with standards IEC 61643-11/2011 T2 and EN 61643-11 Type 2
- For protection against Indirect lightning surge and Switching surge
- Inbuilt health Indicator
- Response time < 25ns
- Imax (8/20 s): 65/40/15/8kA
- Maximum Operating Voltage [Uc]: 340V
- Level of protection,Up: 1.0 - 2.0 kV
- Remote indication contact with 8r/20r/40r/65r
- **Always use a Back-up MCB with your SPD**

Type	Rated Voltage (V)	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD8	230	1P	1	A9L08100	4606
	230	1P+N	2	A9L08500	8614
	230/400	3P	3	A9L08300	11626
	230/400	3P+N	4	A9L08600	17548
iPRD8r	230	1P+N	2	A9L08501	10326
	230/400	3P+N	4	A9L08601	21058
iPRD20	230	1P	1	A9L20100	5163
	230	1P+N	2	A9L20500	10828
	230/400	3P	3	A9L20300	13862
iPRD20r	230/400	3P+N	4	A9L20600	19597
	230	1P+N	2	A9L20501	12877
	230/400	3P+N	4	A9L20601	23963
iPRD40	230	1P	1	A9L40100	6104
	230	1P+N	2	A9L40500	12471
	230/400	3P	3	A9L40300	17901
iPRD40r	230/400	3P+N	4	A9L40600	24963
	230	1P	1	A9L40101	7319
	230	1P+N	2	A9L40501	16077
iPRD65r	230/400	3P	3	A9L40301	24091
	230/400	3P+N	4	A9L40601	29960
	230	1P	1	A9L65101	9785
iPRD65r	230	1P+N	2	A9L65501	20491
	230/400	3P	3	A9L65301	26739
	230/400	3P+N	4	A9L65601	34695

### Spare Cartridges for iPRD



- Spare Cartridges for iPRD8r, iPRD20r, iPRD40r and iPRD65r
- End of life indication available on front face
- These Cartridges are not compatible with Old SPD range (A9L16...)\*\*

Type	Spare Cartridges for	Reference	Unit MRP [₹]
iPRD 65-350	iPRD65r	A9L65102	6126
iPRD 40-350	iPRD40, iPRD40r	A9L40102	4713
iPRD 20-350	iPRD20, iPRD20r	A9L20102	3777
iPRD 8-350	iPRD8, iPRD8r	A9L08102	3306
iPRD Neutral	All products (1P+N, 3P+N)	A9L00002	4959

\*\*Spare Cartridges for Old SPD Range (A9L16...) are available on demand - please contact nearest Schneider Electric Sales Office or Customer Care for Reference and prices

**Note:** Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### iQuick PRD - Type 2 with inbuilt MCB



- Compact SPD with in-built back up MCB - saving on space, MCB selection, wiring time
- Compliance to EN 61643-11
- Withdrawable Type - Cost Efficient - Allows damaged Cartridges to be replaced without having to replace entire SPD
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available
- Incoming Protection: iQuick PRD 40r (High Risk level) and iQuick PRD 20r (Moderate Risk level)
- Secondary Protection: iQuick PRD 8r is cascade mounted with incoming surge arresters

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iQuick PRD 8r	1P+N	4	A9L16298	13231
	3P	6.5	A9L16299	18896
	3P+N	7.5	A9L16300	23513
iQuick PRD 20r	1P+N	4	A9L16295	15429
	3P	6.5	A9L16296	22684
	3P+N	7.5	A9L16297	28216
Quick PRD 40r	1P+N	4	A9L16292	18019
	3P	6.5	A9L16293	26996
	3P+N	7.5	A9L16294	33550

**Note:** Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

### Photovoltaic surge arresters



- Protection for photovoltaic panels and the DC input to the inverter from overvoltages due to a lightning strike
- Type 2 surge arresters
- Should be installed in switchboard inside the building. If switchboard is located outside, it must be weatherproof
- Withdrawable surge arrester allows damaged Cartridges to be replaced quickly
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available

Type	U (cpv) Maximum Operating Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD 40r	800	3	A9L40271	10261
	1000	3	A9L40281	11727

**Note:** Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

### Surge Arresters for Communication Networks



- Analogue telephone line protection: iPRC surge arrester wired in series to the private installation input, protects the telephones, the modems (including ADSL) etc
- Protection for 2 low-current lines without common potential or 4 lines with common reference potential
- iPRI protects measuring instrument and PLC sensor inputs and the DC power supply inputs up to 53 V and AC power supply inputs up to 37 V

Type	[Ue] Operational Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
PRI	48 V DC	1	A9L16339	18302
PRC	130 V AC	1	A9L16337	11192

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### Isolator - xSW



- Complies to IEC/EN 60947-3
- Switching duty: AC-22
- Impulse voltage: 6kV
- DC application: 48V (110V with 2 poles in series)
- Short circuit withstand 20 In for 1 second
- Upto 80A Bi connect terminals & 100A to 125A with mono connect terminals

Poles Description	[In] Rated Current (A)	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	40	2	6	A9S2P040	699
	63	2	6	A9S2P063	924
	125	2	6	A9S2P125	1760
3	40	3	4	A9S3P040	1221
	63	3	4	A9S3P063	1430
4	40	4	3	A9S4P040	1546
	63	4	3	A9S4P063	1683
	80	4	3	A9S4P080	2233
	100	4	3	A9S4P100	2816
	125	4	3	A9S4P125	3113

### Selector Switch - iSSW



- Complies to IEC 60947-5-1 and IEC 60669-1
- Rating 20A, 250V AC
- Electrical life (AC22): 30,000 cycles
- Connection: tunnel terminals cables up to 10 sq. mm

No. of positions	Poles Description	Contacts	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	1	1 C/O	1	12	A9E18070	1469
	2	2 C/O	2	6	A9E18071	2019
		1NO + 1NC	1	12	A9E18072	1177
3	1	1 C/O	1	12	A9E18073	1441
	2	2 C/O	2	6	A9E18074	2437

### iRO Buzzers



- Audible indication in housing and the tertiary sector
- Sound level of 70dBA at a distance of 60cm

Voltage	Module Width 18mm/module	Reference	Unit MRP [₹]
230V AC	1	A9A15322	1856
8..12V AC	1	A9A15323	1011

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



### iCT Contactors



- Complies with standards IEC 1095, E N 61095
- 4 operating modes switch on front face :
  - Automatic mode
  - Temporary "ON" mode
  - Permanent "ON" mode
  - Shutdown
- Mechanical contact position Indicator
- Safe installation maintenance: lock the contactor in ON position
- Silent operation (20dB) for entire range

Type	Rating (A)	No. of Contacts	Module Width 18mm/module	Reference	Unit MRP ₹
1P	25	1NO	1	A9C20731	2204
	16	2NO	1	A9C22712	2268
2P	25	2NO	1	A9C20732	2712
	40	2NO	2	A9C20842	5527
3P	63	2NO	2	A9C20862	5928
	25	3NO	2	A9C20833	3494
	40	3NO	2	A9C20843	7758
4P	63	3NO	3	A9C20863	8432
	25	4NO	2	A9C20834	3659
	40	4NO	2	A9C20844	9036
	63	4NO	3	A9C20864	9534
	63	2NO + 2NC	3	A9C20868	10620

**Note:** 100A Contactor in 2P / 4P - available on request

### iTL Impulse Relays



- Complies with standards IEC/EN 60669-2-2
- Safe maintenance: disconnection of remote control by selector switch
- Manual Controls on front face: 0-I toggle
- Mechanical contact position Indicator
- Maximum 5 operations/min. and 100 switching operations/day
- Degree of pollution: 3 (suitable for industrial environment)

Type	Rating (A)	Control Voltage	No. of Contacts	Module Width	Reference	Unit MRP ₹
1P	16	230-240 VAC	1NO	1	A9C30811	1428
	32	230-240 VAC	1NO	1	A9C30831	1798
2P	16	230-240 VAC	2NO	1	A9C30812	2343
	32	230-240 VAC	2NO	1	A9C30831 + A9C32836	5559
3P	16	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30811 + A9C32816	4445
	32	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30831 + 2* x A9C32836	9320
4P	16	230-240 VAC	4NO	2	A9C30814	4852
	32	230-240 VAC	4NO	2	A9C30831 + 3* x A9C32836	13081

### iIL Indicator Lights



- Complies with standard IEC 60947-5-1
- Indicator light with LED technology
- Service life 100,000 hours with constant luminous efficiency

Type	Colour	Module Width 18mm/module	Reference	Unit MRP ₹
Single Indicator light	Red	1	A9E18320	1477
	Green	1	A9E18321	1477
	Blue	1	A9E18323	1477
	Orange	1	A9E18324	1477
3 phase voltage presence light	Red/Red/Red	1	A9E18327	4269
Single Push Button (1 NO+ 1NC)	Grey	1	A9E18033	1990

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

## Smartlink



- Compliance to IEC/EN 61131-2
- Protection Monitoring – Device Status and alarm notifications
- Load Control / Switching through Contactors and Impulse Relays
- Energy Monitoring through pulse meters
- Alarm over email and analog sensors (temperature / humidity) with Smartlink Ethernet
- Plug & Play – Pre fabricated cables and in built web pages
- Rated Voltage: 24V DC

Description	Reference	Unit MRP [₹]
Smartlink EL-D	A9XELC10	24776
Wiser Energy Module IP	EER31800	24776

## Communication Auxiliaries



Auxiliary for Protection Devices (OF+SD24)

Auxiliary for Contactors (iACT24)

Auxiliary for Impulse Relays (iATL24)

Description	Module Width	Reference	Unit MRP [₹]
OF+SD24	0.5	A9N26899	2964
iACT24	1	A9C15924	14745
iATL24	1	A9C15424	15526

## Reflex iC60 - Integrated Control & Overcurrent Protection Device



- All in One Solution: MCB + Contactor + Impulse Relay + Auxiliary
- 10kA Breaking capacity as per IEC/EN 60947-2,
- Ti24 interface: Connection to PLC, Smartlink
- 3 operating modes to cater to a variety of applications
- Safe lock down with Integrated Padlocking
- Simplified maintenance: Front face Indicator allows better reliability

[In] Rated Current (A)	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width **	4.5 mod		5.5 mod		6.5 mod	2275
<b>B Curve</b>						
10	A9C61210	40564	A9C61310	42361	A9C61410	45411
16	A9C61216	40558	A9C61316	42361	A9C61416	45411
25	A9C61225	40558	A9C61325	42361	A9C61425	45411
40	A9C61240	41901	A9C61340	45304	A9C61440	48220
63	A9C61263	44566	A9C61363	47069	A9C61463	50959
<b>C Curve</b>						
10	A9C62210	41018	A9C62310	43656	A9C62410	46342
16	A9C62216	41018	A9C62316	43661	A9C62416	46342
25	A9C62225	41013	A9C62325	43656	A9C62425	46342
40	A9C62240	43196	A9C62340	45325	A9C62440	48252
63	A9C62263	45518	A9C62363	47069	A9C62463	50964
<b>D Curve</b>						
10	A9C63210	41944	A9C63310	44544	A9C63410	48204
16	A9C63216	41944	A9C63316	44544	A9C63416	48204
25	A9C63225	41944	A9C63325	44544	A9C63425	48204

Note: \*\*18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Acti 9

## Distribution Boards

### Spectacular Design

*Blends seamlessly with interiors*



Unique Rounded Corners | Color - RAL 9003 white | Designer Rotary Knob

### Maximized Wiring Space

*Convenient and Safe wiring*



15% more wiring area | Reduced U-box Collar | Removable Frame, Centre plate & Gland plate

### Adaptable

*Total Flexibility for ease of installation and usage*



Surface and Flush installation | Field fittable key lock provision | Reversible Door

Inspiring the **S.M.A.R.T.** choice!!!

## Robust Architecture

*Perfect blend of Strength & Weight*



High Strength-to-Weight ratio | RoHS and REACH Compliance – ideal solution for GREEN Buildings

## Technically Proven

*Safety Guaranteed*





Designed and Manufactured as per IS 8623 - 1&3 | IP and IK test by ERDA & CPRI | Glow wire tested



# Acti 9

## Distribution Boards





### Metal Enclosures



- Metal Enclosure to mount individual Modular Device feeding directly to the load or final distribution board

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
2 way	1 / 2	A9HMES02 <input checked="" type="checkbox"/>	819	-	-
4 way	3 / 4	A9HMES04 <input checked="" type="checkbox"/>	819	-	-

### SPN DBs



- SPN DB for distribution of Single Phase Neutral supply to respective load MCBs
- Incomer - DP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
6 way	6	A9HSNS06	1586	A9HSND06 <input checked="" type="checkbox"/>	2279
8 way	8	A9HSNS08 <input checked="" type="checkbox"/>	1880	A9HSND08 <input checked="" type="checkbox"/>	2483
12 way	12	A9HSNS12	2226	A9HSND12 <input checked="" type="checkbox"/>	2987
18 way	18	A9HSNS18	3061	A9HSND18 <input checked="" type="checkbox"/>	4001

### TPN DBs



- Standard TPN DBs for distribution of Three Phase and Neutral supply
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs
- TPN DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way eco	4 + 12	-	-	A9HTND04E <input checked="" type="checkbox"/>	4898
4 way	8 + 12	A9HTNS04	4547	A9HTND04 <input checked="" type="checkbox"/>	4940
6 way	8 + 18	A9HTNS06	*	A9HTND06 <input checked="" type="checkbox"/>	6085
8 way	8 + 24	A9HTNS08	6038	A9HTND08 <input checked="" type="checkbox"/>	7308
12 way	8 + 36	A9HTNS12	9345	A9HTND12 <input checked="" type="checkbox"/>	11456

### Flexi Tier DBs



- Flexi DBs give total flexibility to mount any type and size of Modular devices as per load requirement
- Provided with N-Bar and E-Bar
- Flexi Tier DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
2 Tier 24 Modules	2 x 12	-	-	A9HFD224	6426
3 Tier 36 Modules	3 x 12	-	-	A9HFD336	7718
4 Tier 40 Modules	4 x 10	-	-	A9HFD440 <input checked="" type="checkbox"/>	8153
4 Tier 56 Modules	4 x 14	-	-	A9HFD456 <input checked="" type="checkbox"/>	8521

**Note:** For all above Reference MOQ = 1

\* - Price on Request

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### Per Phase Isolation DBs

- PPI DBs to mount DP Residual Current Device (RCD) at an individual phase level to isolate the faulty phase in case of earth leakage and ensure continuity of supply to other healthy phases
- Incomer - Modular (FP MCB/Isolator) using PPI Kit / MCCB100A (TP/FP Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
12 way	100A MCCB + 6 + 36	-	-	A9HPID12M	16994

### PPI Kit (to convert TPN and Flexi Tier DBs to PPI DB)



- Set of accessories to convert TPN DBs and 4 tier Flexi DBs to PPI DB
- Kit is provided with additional required quantity of N-Bar, wire set, Busbars (only for Flexi Tier) and Mounting Kit (only for TPN)

Description	Reference	Unit MRP [₹]
PPI Kit for 6way TPN DB (2+4w PPI DB)	A9HKIT04 <input checked="" type="checkbox"/>	3339
PPI Kit for 8way TPN DB (2+6w PPI DB)	A9HKIT06 <input checked="" type="checkbox"/>	3911
PPI Kit for 12way TPN DB (2+10w PPI DB)	A9HKIT10 <input checked="" type="checkbox"/>	4310
PPI Kit for 4T40M Flexi DB (2+8w PPI DB)	A9HKIT08 <input checked="" type="checkbox"/>	6914
PPI Kit for 4T56M Flx DB (2+12w PPI DB)	A9HKIT12 <input checked="" type="checkbox"/>	7655

### Phase Segregated DBs



- Phase Segregated DBs to provide total safety for installer and maintenance personnel, by compartmentalizing each Phase and separating Incomer, Sub-Incomer and Outgoing
- Offers better continuity of supply in case of faults during maintenance at DB level.
- Incomer - Modular (FP MCB/Isolator) / MCCB 100A (TP/FP during maintenance Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Sub-incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
6 way	8 + 12 + 18	-	-	A9HPGD06 <input checked="" type="checkbox"/>	15094
8 way	8 + 12 + 24	-	-	A9HPGD08 <input checked="" type="checkbox"/>	16853
12 way	8 + 12 + 36	-	-	A9HPGD12	21158
12 way with MCCB I/c	100A MCCB + 12 + 36	-	-	A9HPGD12M	28550

### VTPN DBs for Modular Incomer



- Ideal solution to distribute power supply to both 3 Phase and 1 Phase loads in the same DB
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	8 + 12	-	-	A9HVTD04 <input checked="" type="checkbox"/>	12773
8 way	8 + 24	-	-	A9HVTD08 <input checked="" type="checkbox"/>	16249
12 way	8 + 36	-	-	A9HVTD12 <input checked="" type="checkbox"/>	21746

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### VTPN DBs for MCCB Incomer



- DBs for higher incoming current distribution up to 250A
- Incomer - TP/FP Compact NSX or EasyPact CVS MCCB up to 250A
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	100A MCCB + 12	-	-	A9HVD04L	13991
8 way	100A MCCB + 24	-	-	A9HVD08L	17729
12 way	100A MCCB + 36	-	-	A9HVD12L	23573
4 way	160A MCCB + 12	-	-	A9HVD04M	15398
8 way	160A MCCB + 24	-	-	A9HVD08M	19184
12 way	160A MCCB + 36	-	-	A9HVD12M	25604
8 way	250A MCCB + 24	-	-	A9HVD08H	33149
12 way	250A MCCB + 36	-	-	A9HVD12H	34944

### ComReady DBs



- Designed to house Acti 9 communication system
- Supplied with Double DIN rail, E-Bar and Wire channel.
- Accessories to convert Flexi Tier DB into ComReady DB available on request

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
1 Tier 24 Modules	24	-	-	A9HCRD124	9224
2 Tier 48 Modules	48	-	-	A9HCRD248	14259

### Metal Clad P&S Units



- Plug & Socket Unit with Electra Plug & Socket and provision to mount modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
10A 1P+N+E P&S	2	A9HMS210	2084	-	-
20A 1P+N+E P&S	2	A9HMS220	2231	-	-
30A 3P+E P&S	3	A9HMS330	4883	-	-

### Industrial P&S Units (provision to mount PratiKa Sockets)



- Plug & Socket Unit with provision to mount PratiKa straight / angled\* socket and modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
16A 3P PK P&S	2	A9HKS316	1927	-	-
32A 3P PK P&S	2	A9HKS332	3182	-	-
32A 5P PK P&S	4	A9HKS532	3770	-	-
63A 5P PK P&S	4	A9HKS563	7613	-	-

\*upto 32A socket only

**Note:** For all above Reference MOQ = 1

**Note:** \* Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

### Locks for Acti 9 DBs



Key Lock

Description	Reference	Unit MRP [₹]
Rotary lock	A9HRL801	561
Key Lock	A9HRL802	704
New Rotary Lock**	A9HRL901	561

**Note:** \*\*Use New Rotary lock reference A9HRL901 for: Acti9 DBs manufactured September 2020 onwards Acti9 DBs with lock & unlock symbol on door .

### Accessories for Distribution Boards

Description	Reference	Unit MRP [₹]
<b>Busbars</b>		
Fork Busbar 1P 12MOD. 63A	R9XFH112	759
Fork Busbar 1P 57MOD. 63A	R9XFH157	1689
Fork Busbar 2P 12MOD. 63A	R9XFH212	875
Fork Busbar 2P 57MOD. 63A	R9XFH257	3240
Fork Busbar 3P 12MOD. 63A	R9XFH312	1975
Fork Busbar 3P 57MOD. 63A	R9XFH357	7068
Fork Busbar 4P 12MOD. 63A	R9XFH412	1821
Fork Busbar 4P 57MOD. 63A	R9XFH457	7607
<b>Busbar Accessories</b>		
Set of 10 End Caps 1P	R9XE110	*
Set of 10 End Caps 2P	R9XE210	*
Set of 10 End Caps 3P	R9XE310	798
Set of 10 End Caps 4P	R9XE410	*
Set of 4 Connector Fork 63A	R9XFC04	*
Set of 20 Tooth Caps	R9XT20	1023
Blanking Plate	13229B	39

**Note:** Blanking Plate MOQ = 10, All other MOQ = 1

\* - Price on Request

### Customized Distribution Boards to Suit Your Need - Available on Request\*

- TV/Telephone DBs
- Pre-Wired DBs
- 8 Segment DBs
- Acrylic Door DBs
- IP54 DBs
- DBs with Phase Indication Lamps

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

Kaedra enclosures for PratiKa industrial sockets are part of a complete system of Watertight enclosures from 16A to 125A providing solutions for protection, control and electrical distribution for tertiary and industrial applications



- Degree of protection - IP65
- Impact strength - IK09
- Resistant to chemical and atmospheric agents, UVs etc.
- Self extinguishing class 2 insulating material
- Flame and abnormal heat resistance: 650°C
- Reversible front face for opening of door to left/right
- Combining of enclosures horizontally/vertically while still maintaining IP
- DIN channel can be positioned in 2 depths & 2 heights for cabling purpose

## Mini Enclosures for modular devices



Description	Reference	Unit MRP [₹]
4 module	13441 <input checked="" type="checkbox"/>	2860
6 module	13442	3256
8 module	13443	3834
12 module	13444	6160

## Enclosures for modular devices (with terminal blocks)



Description	Reference	Unit MRP [₹]
1 row 12 module	13431	6798
1 row 18 module	13432	8960
2 row 24 module	13433	10175
2 row 36 module	13434	12881
3 row 36 module	13435	13431
4 row 72 module	13437	25636

## Mini Enclosure (suitable to mount modular devices and PratiKa 16A socket)



Description	Reference	Unit MRP [₹]
4 module 1 vertical opening	13175 <input checked="" type="checkbox"/>	1364
4 module 2 horizontal opening	13176	1683
4 module 3 horizontal opening	13177	2118

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



## Enclosure (suitable to mount modular devices and PratiKa 16A / 32A sockets)



Description	Reference	Unit MRP [₹]
5 module 2 opening	13178 <input checked="" type="checkbox"/>	3284
8 module 4 horizontal opening	13179	4483
13 module 3 opening	13180	5924
13 module 6 opening	13181	6512
19 module 8 opening	13182	8393

## Functional Plaques



Description	Reference	Unit MRP [₹]
Blank - marked for 1 socket 50x50	13135	424
Blank - marked for 1 socket 65x65 or 75x75	13137	424
Intermediate with 65x85 opening	13136	517
Intermediate with one opening for 65x85 & 90x100	13142	858

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

## Wander Plugs



- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
<b>PratiKa Screw</b>				
<b>IP44</b>				
16	200...250	2P + E	PKE16M423 <input checked="" type="checkbox"/>	471
		2P + E	PKX16M423 <input type="checkbox"/>	954
	380...415	3P + E	PKE16M434 <input checked="" type="checkbox"/>	597
		3P + N + E	PKE16M435 <input checked="" type="checkbox"/>	622
32	200...250	2P + E	PKE32M423 <input checked="" type="checkbox"/>	743
	380...415	3P + E	PKE32M434	861
		3P + N + E	PKE32M435 <input checked="" type="checkbox"/>	849
<b>IP67</b>				
16	200...250	2P + E	PKE16M723 <input checked="" type="checkbox"/>	1031
		2P + E	PKX16M723 <input type="checkbox"/>	1516
	380...415	3P + E	PKE16M734	1164
		3P + N + E	PKE16M735	1244
32	200...250	2P + E	PKE32M723	1458
	380...415	3P + E	PKE32M734 <input checked="" type="checkbox"/>	1573
		3P + N + E	PKE32M735 <input checked="" type="checkbox"/>	1584
<b>PK (63A &amp; 125A available in IP67 only)</b>				
63	200...250	2P + E	81378	4133
	380...415	3P + E	81382 <input checked="" type="checkbox"/>	3941
		3P + N + E	81383 <input checked="" type="checkbox"/>	3946
125	200...250	2P + E	81390	10555
	380...415	3P + E	81394	12054
		3P + N + E	81395	12054

Note: \* Fast Connection

## Small Wall Mounted Sockets



- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
<b>IP44</b>				
16	200...250	2P + E	PKF16W423	826
	380...415	3P + E	PKF16W434	958
		3P + N + E	PKF16W435	1046
32	200...250	2P + E	PKF32W423	1079
	380...415	3P + E	PKF32W434	1295
		3P + N + E	PKF32W435	1368
<b>IP67</b>				
16	200...250	2P + E	PKF16W723	1312
	380...415	3P + E	PKF16W734	1647
		3P + N + E	PKF16W735	1704
32	200...250	2P + E	PKF32W723	1641
	380...415	3P + E	PKF32W734	2397
		3P + N + E	PKF32W735	3180

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

## Wall Mounted Sockets



81178



81183

- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	81178	5092
	380...415	3P + E	81182 ●	5241
		3P + N + E	81183	5315
125	200...250	2P + E	81190	18197
	380...415	3P + E	81194	18363
		3P + N + E	81195	18453

## Wander Sockets



PKF16M423



81483



PKF32M735

- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
<b>PratiKa Screw</b>				
<b>IP44</b>				
16	200...250	2P + E	PKF16M423 ☑	654
		2P + E	PKY16M423	720
	380...415	3P + E	PKF16M434	754
		3P + N + E	PKF16M435	822
32	200...250	2P + E	PKF32M423 ☑	898
	380...415	3P + E	PKF32M434	1090
		3P + N + E	PKF32M435 ☑	1097
<b>IP67</b>				
16	200...250	2P + E	PKF16M723	1209
		2P + E	PKY16M723 ●	1471
	380...415	3P + E	PKF16M734	1516
		3P + N + E	PKF16M735	1584
32	380...415	2P + E	PKF32M723	1663
		3P + E	PKF32M734	1840
	3P + N + E	PKF32M735	1857	
<b>PK (63A &amp; 125A available in IP67 only)</b>				
63	200...250	2P + E	81478	4502
	380...415	3P + E	81482	4542
		3P + N + E	81483	4615
125	200...250	2P + E	81490	14189
	380...415	3P + E	81494	14212
		3P + N + E	81495	14490

## Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required

- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. January 11, 2021

## Panel Mounted Sockets - Angled



PKF16F423



PKF32F723



81283

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
<b>PratiKa Screw</b>				
<b>IP44</b>				
16	200...250	2P + E	PKF16F423 <input checked="" type="checkbox"/>	506
		2P + E	PKY16F423 ●	545
	380...415	3P + E	PKF16F434	754
		3P + N + E	PKF16F435 <input checked="" type="checkbox"/>	803
32	200...250	2P + E	PKF32F423 <input checked="" type="checkbox"/>	898
	380...415	3P + E	PKF32F434	1042
		3P + N + E	PKF32F435	1038
<b>IP67</b>				
16	200...250	2P + E	PKF16F723 <input checked="" type="checkbox"/>	952
		2P + E	PKY16F723 ●	1153
	380...415	3P + E	PKF16F734	1084
3P + N + E		PKF16F735 <input checked="" type="checkbox"/>	1097	
32	200...250	2P + E	PKF32F723	1238
	380...415	3P + E	PKF32F734	1448
		3P + N + E	PKF32F735	1471
<b>PK (63A &amp; 125A available in IP67 only)</b>				
63	200...250	2P + E	81278	4065
		3P + E	81282 <input checked="" type="checkbox"/>	4071
	380...415	3P + N + E	81283 <input checked="" type="checkbox"/>	4151
125	200...250	2P + E	81290	13366
		3P + E	81294	13712
	380...415	3P + N + E	81295	13780

## Panel Mounted Sockets - Straight



PKF16G423



PKF16G723



81683

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
<b>PratiKa Screw</b>				
<b>IP44</b>				
16	200...250	2P + E	PKF16G423	572
		2P + E	PKY16G423	588
	380...415	3P + E	PKF16G434	822
		3P + N + E	PKF16G435	861
32	200...250	2P + E	PKF32G423	908
	380...415	3P + E	PKF32G434	1046
		3P + N + E	PKF32G435	1133
<b>IP67</b>				
16	200...250	2P + E	PKF16G723	958
		2P + E	PKY16G723 ●	1079
	380...415	3P + E	PKF16G734	1084
3P + N + E		PKF16G735	1097	
32	200...250	2P + E	PKF32G723	1221
	380...415	3P + E	PKF32G734	1375
		3P + N + E	PKF32G735	1426
<b>PK (63A &amp; 125A available in IP67 only)</b>				
63	200...250	2P + E	81678	4048
		3P + E	81682	4111
	380...415	3P + N + E	81683	4111
125	200...250	2P + E	81690	13627
		3P + E	81694	13712
	380...415	3P + N + E	81695	13780

\*Fast Connection

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

 NORMAL STOCK ITEMS

W.E.F. January 11, 2021

## Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

## Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



83047

83081

- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
<b>IP44</b>				
16	200...250	2P + E	83031	6871
	380...415	3P + E	83035	9511
32		3P + N + E	83036	9697
	200...250	2P + E	83042 <input checked="" type="checkbox"/>	8920
	380...415	3P + E	83046	10397
		3P + N + E	83047	10510
<b>IP65</b>				
16	200...250	2P + E	83081	7109
	380...415	3P + E	83085	9789
32		3P + N + E	83086	9988
	200...250	2P + E	83092	9317
	380...415	3P + E	83096	11186
		3P + N + E	83097	11186

## Socket with Interlock Switch &amp; DIN Rail Isoblock (4.5 modules)



82754

83796

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 <input checked="" type="checkbox"/>	8517
	380...415	3P + E	82758	10374
		3P + N + E	82759	10720
32	200...250	2P + E	83791 <input checked="" type="checkbox"/>	10084
	380...415	3P + E	83795	11936
		3P + N + E	83796	12014

## Socket with Interlock Switch &amp; DIN Rail Isoblock (6 modules)



82766

82771

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	82766	13303
	380...415	3P + E	82770	15597
63		3P + N + E	82771	16069
	380...415	3P + E	82782	17925
		3P + N + E	82783	17982

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

**ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.**

**Construction**

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring )
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

**Human Safety**

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug  
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

**Applications**

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

**Plug**



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 <input checked="" type="checkbox"/>	229
20	2P	250	30	AP20 <input checked="" type="checkbox"/>	240
20	3P	440	30	BP20 <input checked="" type="checkbox"/>	319
30	3P	440	20	BP30 <input checked="" type="checkbox"/>	582
63	3P+N+E	440	4	CP63 <input checked="" type="checkbox"/>	2633

**Socket**



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 <input checked="" type="checkbox"/>	240
20	2P	250	30	AS20 <input checked="" type="checkbox"/>	256
20	3P	440	30	BS20 <input checked="" type="checkbox"/>	359
30	3P	440	20	BS30 <input checked="" type="checkbox"/>	617
63	3P+N+E	440	4	CS63 <input checked="" type="checkbox"/>	2790

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW116LE-GY



56SW216LE-GY



56SW332LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
<b>Surface Switches</b>			
<b>Single Pole Switches Less Enclosure</b>			
1 Pole 250V 10A	IP66	56SW110LE-GY	3086
1 Pole 250V 16A	IP66	56SW116LE-GY	2892
1 Pole 250V 20A	IP66	56SW120LE-GY	4379
1 Pole 250V 32A	IP66	56SW132LE-GY	5172
<b>Double Pole Switches Less Enclosure</b>			
2 Pole 500V 16A	IP66	56SW216LE-GY	4997
2 Pole 500V 20A	IP66	56SW220LE-GY	4997
2 Pole 500V 32A	IP66	56SW232LE-GY	5802
2 Pole 500V 50A	IP66	56SW250LE-GY	6186
2 Pole 500V 63A	IP66	56SW263LE-GY	6804
<b>Triple Pole Switches Less Enclosure</b>			
3 Pole 500V 10A	IP66	56SW310LE-GY	4621
3 Pole 500V 16A	IP66	56SW316LE-GY	4821
3 Pole 500V 20A	IP66	56SW320LE-GY	5075
3 Pole 500V 32A	IP66	56SW332LE-GY	5918
3 Pole 500V 50A	IP66	56SW350LE-GY	6828
3 Pole 500V 63A	IP66	56SW363LE-GY	7925
<b>Four Pole Switches Less Enclosure</b>			
4 Pole 500V 20A	IP66	56SW420LE-GY	6700



66CV563-RG



66P563-EO

Description	IP Rating	Reference	Unit MRP [₹]
<b>IP66 Industrial Combination Switch Sockets with Enclosure</b>			
<b>Single Pole Switches Less Enclosure</b>			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	66CV563-RG	89822
Plug Top 5 Pin 500V 63A	IP66	66P563-EO	26960

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



56SO316RP-LE-GY-EX



56SO432LE-GY



56SO532LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
<b>Surface Socket Outlets</b>			
<b>3 Pin Sockets Less Enclosure</b>			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	2910
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	4226
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	4663
<b>4 Pin Sockets Less Enclosure</b>			
4 Pin 500V 20A Round Pin	IP66	56SO420LE-GY	6252
4 Pin 500V 32A Round Pin	IP66	56SO432LE-GY	7476
4 Pin 500V 40A Round Pin	IP66	56SO440LE-GY*	8689
4 Pin 500V 50A Round Pin	IP66	56SO450LE-GY	11503
<b>5 Pin Sockets Less Enclosure</b>			
5 Pin 500V 10A Round Pin	IP66	56SO510LE-GY	6756
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	6756
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	8023
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	11575
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	11885

\*Alternate reference 56SO440-GY (coming soon)



56PA316RP-GY-EX



56PA420-EO



56PA532-EO



56CV-1520-GY

Description	IP Rating	Reference	Unit MRP [₹]
<b>Plugs</b>			
<b>3 Pin Angle Plugs</b>			
3 Pin 250V 16A Indian Standard	IP66	56PA316RP-GY-EX	2189
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	4379
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	5010
<b>4 Pin Angle Plugs</b>			
4 Pin 500V 20A Round Pin	IP66	56PA420-EO	5336
4 Pin 500V 32A Round Pin	IP66	56PA432-EO	5555
4 Pin 500V 40A Round Pin	IP66	56PA440-EO	6530
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	6592
<b>5 Pin Angle Plugs</b>			
5 Pin 500V 10A Round Pin	IP66	56PA510-EO	5245
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	5245
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	6059
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	6409
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	6561
<b>Combination Switch Socket Outlet</b>			
<b>IP66 Interlocked Switch Socket with Enclosure</b>			
4 Pin 500V 20A Round Pin	IP66	56CVI420-GY	16203
4 Pin 500V 32A Round Pin	IP66	56CVI432-GY	17367
5 Pin 500V 20A Round Pin	IP66	56CVI520-GY	19798
5 Pin 500V 32A Round Pin	IP66	56CVI532-GY	19980

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



56DB2-GY



56DB4-GY



56CB4N-GY

Description	IP Rating	Reference	Unit MRP [₹]
<b>Adaptable Enclosures with Gear Tray</b>			
2 Gangpoints, 198X101X140mm	IP66	56DB2-GY	5463
3 Gangpoints, 294X101X140mm	IP66	56DB3-GY	7277
6 Gangpoints, 294X198X140mm	IP66	56DB6-GY	12025
<b>Junction Boxes</b>			
1 Gangpoint, 107X101X90mm	IP66	56JB1-GY	2490
2 Gangpoints, 204X101X90mm	IP66	56JB2-GY	4003
3 Gangpoints, 300X101X90mm	IP66	56JB3-GY	6004
4 Gangpoints, 204X198X90mm	IP66	56JB4-GY	8052

Description	Module Width	Reference	Unit MRP [₹]
<b>Switchgear Cover Assembly</b>			
For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	4754



56FA2-GY



56E2-GY



56E1-GY-EX



56E3-GY

Description	No. of Gangs	Reference	Unit MRP [₹]
<b>Flush Surrounds</b>			
Flush Surround	1	56FA1-GY	1625
Flush Surround	2	56FA2-GY	2342
Flush Surround	3	56FA3-GY	3687
Flush Surround	4	56FA4-GY	3687
<b>Mounting Enclosures (Back Boxes)</b>			
101X101X63mm	1	56E1-GY-EX	1089
198X101X63mm	2	56E2-GY	2613
294X101X63mm	3	56E3-GY	4148
198X198X63mm	4	56E4-GY	5336
294X198X63mm	6	56E6-GY	8532
391X198X63mm	8	56E8-GY	11194
294X294X63mm	9	56E9-GY	12449
391X391X63mm	16	56E16-GY	20283

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# SWITCH TO STYLE



Perfect solutions for the perfect you



Unica Pure



Clipsal X



Opale



Anti-Bacterial  
Range

**LIVIA**  
Life. Style.



**ZENcelo**



**Avatar On**



**Neo**



**Ulti**


# Switch more than just lights. #Switch The Mood

ON / OFF

DIMMING

ALUMINIUM

ANTHRACITE




MY FAVORITE


WHITE SHADES OR  
COLOR CHANGES

## Wiser Odace™ LIGHTING. One Light, Many Moods!


White kit  
Smart LED



Color kit  
Smart LED  
colors



Aroma kit  
Sensorial  
light



Change the mood?  
There's also an app for that!

Your mood is now at your fingertips, with the 'Wiser Lighting' app.

Bluetooth connectivity:  
Take control of the mood, wirelessly

Schedules: Set a wake-up light or a night light or presence simulator

Unlimited Colour Options:  
Choose from up to 16 million colours

Disco mode: Let your lights flash and flicker to music

Aroma diffuser: Soak in the energy of therapeutic scents

Light grouping: Several lights can be group-activated by the same preset



Wiser Odace™ LIGHTING Product	Reference	Unit MRP [₹]
White Kit	S527578W	7883
Colour Kit	S527578C	8269
Aroma Kit	S527578A	10474
White Switch	S520578	6064
Aluminium Switch	S530578	6064
Anthracite Switch	S540578	6064

\*Contact Schneider Electric Sales Representative for more details

W.E.F. January 11, 2021





- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams. Tested for 4Mn clicks
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1001

P1081



P1002

P1025



P2005

P2106



P3012

P3200



P6005

P5001



P0703

P0704

Description	Reference for White	Unit MRP [₹]	Box Qty	Reference for Pebble Grey	Unit MRP [₹]	Box Qty
<b>Switches</b>						
10AX 1 way switch	P1001	113	10	P1001_DG	160	10
10AX 1 way switch with Indicator lamp	P1081	221	10	P1081_DG	258	10
10AX 2 way switch	P1002	177	10	P1002_DG	209	10
16AX 1 way switch	P1101	192	10	P1101_DG	234	10
16AX 1 way switch with Indicator lamp	P1181	269	10	P1181_DG	311	10
16AX 1 way switch (2M)	P1121	280	10	P1121_DG	327	10
16AX 2 way switch	P1102	258	10	P1102_DG	301	1
20A 1 way switch (1M) with indicator lamp	P11201	238	10	P11201_DG	261	10
20A DP switch with Indicator lamp	P1120	428	10	P1120_DG	504	10
32A DP switch with Indicator lamp	P1132	626	10	P1132_DG	763	10
<b>Motor Starter Switch</b>						
25A Motor Starter switch	P1186MS	1035	1	P1186MS_DG	1210	1
<b>Bell Push</b>						
10A Bell Push switch	P1005	198	10	P1005_DG	229	10
10A Bell Push switch (2M)	P1025	262	10	P1025_DG	305	10
10A bell push switch with Indicator	P1085	236	10	P1085_DG	276	10
10A bell push switch with Indicator (2M)	P1086	305	10	P1086_DG	357	10
<b>Sockets</b>						
6A 3Pin socket Outlet with shutter (BIS)	P2005_NS	212	10	P2005NS_DG	254	10
10A 3pin Socket Outlet with Shutter	P2005	212	10	P2005_DG	254	10
10A/16A 3-pin Socket Outlet with Shutter	P2106	318	10	P2106_DG	379	10
10A/25A 3 Pin Socket Outlet with Shutter	P2207	438	10	P2207_DG	514	10
13A Multi Pin Socket Outlet with Shutter	P2010	345	10	P2010_DG	412	10
<b>Fan Regulators &amp; Dimmers</b>						
Step type fan regulator (1M)	P3100	602	10	P3100_DG	720	10
Step type fan regulator (2M)	P3200	713	6	P3200_DG	852	10
Dimmer 400W (1M)	P3004	1060	6	P3004_DG	1278	6
Dimmer 1000W (2M)	P3012	1388	6	P3012_DG	1625	6
<b>USB Charger</b>						
USB Charger	P7002	1405	10	P7002_DG	1625	10
<b>Accessories</b>						
RJ 11 Telephone outlet with shutter	P4011	175	10	P4011_DG	209	10
RJ 45 Cat 5e Data outlet with shutter	P4045	597	10	P4045_DG	699	10
RJ 45 Cat6 Data outlet with shutter	P4046	652	10	P4046_DG	787	10
TV socket	P4500	168	10	P4500_DG	200	10
Blank off unit (1M)	P0001	47	40	P0001_DG	58	40
Foot Lamp with LED	P7001	707	1	P7001_DG	826	1
Cord Outlet	P4550	182	10	P4550_DG	215	1
LED Phase Indicator	P5001	293	1	-	-	-
<b>Hotel Series</b>						
DND Switch	P6002	205	10	P6002_DG	237	1
MMR Switch	P6004	205	10	P6004_DG	237	1
DND & MMR Indicator	P6013	656	10	P6013_DG	769	1
20A Key Card Switch - Electronic (3M)	P6005	3757	1	P6005_DG	4398	1
<b>Cover Plates</b>						
1-2 M Grid & 1 M Cover Frame	P0701	117	15	P0701_DG	134	15
1-2 M Grid & 2 M Cover Frame	P0702	117	15	P0702_DG	139	15
3 M Grid & 3 M Cover Frame	P0703	149	10	P0703_DG	173	10
4 M Grid & 4 M Cover Frame	P0704	173	8	P0704_DG	202	8
6 M Grid & 6 M Cover Frame	P0706	217	5	P0706_DG	266	5
8 M Grid & 8 M Cover Frame - Horizontal	P0708	286	5	P0708_DG	347	5
8 M Grid & 8 M Cover Frame - Square	P0709	338	5	P0709_DG	398	5
9 M Grid & 9M Cover Frame	P07010	Coming Soon		P07010_DG	Coming Soon	
12 M Grid & 12 M Cover Frame	P0712	410	5	P0712_DG	481	5
16 M Grid & 16M Cover Frame	P07016	Coming Soon		P07016_DG	Coming Soon	
18 M Grid & 18 M Cover Frame	P0718	590	5	P0718_DG	694	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Clipsal X - As Stylish As Your World



## Xtra STYLE


- Trendy Dual tone colour and finish
- Contemporary sloped design that blends seamlessly with the wall
- Vibrant and youthful colours and textured finishes that can stand out or blend in
- Textured finishes to match most Indian decors – Wood, Slate & Leather

## Xtra STRONG

- Made to last for more than 1 Million Clicks
- 10A rated switches to enable Grouping – add as many loads as you want
- UV Stabilized to avoid decoloring

## Xtra COMFORT

- Least noise level for unobtrusive switching
- Smooth finish which avoids light reflection off the surface
- Glossy Band making it Easy to Clean
- Large plate overhang to hide wall & paint imperfections



Description	Reference for White	Unit MRP (₹)	Pack	Reference for Coke Grey	Unit MRP (₹)	Pack
<b>Switches</b>						
10AX 1 Way Switch	CPX101SW1M_WE	139	20	CPX101SW1M_GY	176	20
10A X1 Way Switch with Indicator	CPX101SWL1M_WE	223	20	CPX101SWL1M_GY	265	1
10AX 2 Way Switch	CPX102SW1M_WE	198	20	CPX102SW1M_GY	240	20
16AX 1 Way Switch	CPX161SW1M_WE	240	1	CPX161SW1M_GY	282	1
16AX 1 Way Switch with Indicator	CPX161SWL1M_WE	315	20	CPX161SWL1M_GY	373	20
16AX 2 Way Switch	CPX162SW1M_WE	305	1	CPX162SW1M_GY	359	20
10AX 1 Way Switch (2M)	CPX101SW2M_WE	251	1	CPX101SW2M_GY	300	10
16AX 1 Way Switch (2M)	CPX161SW2M_WE	322	1	CPX161SW2M_GY	383	10
10AX 1W Switch with Indicator (2M)	CPX101SWL2M_WE	305	1	CPX101SWL2M_GY	364	10
16AX 1W Switch with Indicator (2M)	CPX161SWL2M_WE	371	1	CPX161SWL2M_GY	439	10
20A DP Switch with Indicator (2M)	CPX20DP2M_WE	533	1	CPX20DP2M_GY	622	1
32A DP Switch with Indicator (2M)	CPX32DP2M_WE	776	1	CPX32DP2M_GY*	1175	10
<b>Motor Starter Switch</b>						
25A Motor Starter Switch	CPXMTSTART2M_WE	880	10	CPXMTSTART2_GY	1630	10
<b>Bell Press</b>						
6A Bell Push	CPX6BP1M_WE	223	20	CPX6BP1M_GY	256	1
6A Bell Push (2M)	CPX6BP2M_WE	324	10	CPX6BP2M_GY	379	1
6A Bell Push with Indicator	CPX6BPL1M_WE	295	1	CPX6BPL1M_GY	353	20
6A Bell Push with Indicator (2M)	CPX6BPL2M_WE	353	1	CPX6BPL2M_GY	401	10
<b>Sockets</b>						
6A 2/3P Socket with Shutter	CPX6SK3P_WE	243	10	CPX6SK3P_GY	287	10
6A 3P Socket Outlet with Shutter (BIS Std.)	CPX6USK3P_WE	243	10	CPX6USK3PNS_GY	287	10
6A Uni Socket with Shutter	CPX616SK_WE	300	10	CPX6USK3P_GY	344	10
6A/16A 3P Socket with Shutter	CPX13INSK_WE	383	10	CPX616SK_GY	433	10
13A Multi Pin Socket with Shutter	CPX13FPSK_WE	364	10	CPX13INSK_GY	435	10
13A BS Socket with Shutter	CPX20SK3P2M_WE	511	10	CPX13FPSK_GY	613	10
20A 3P Socket with Shutter	CPX25SK3P2M_WE	459	10	CPX20SK3P2M_GY	551	10
25A 3P Socket with Shutter	CPX6SK2P1M_WE	494	10	CPX25SK3P2M_GY	563	10
2 Pin Socket with Shutter	CPX6SK5P2M_WE	196	20	CPX6SK2P1M_GY	227	20
5 Pin Socket with Shutter	CPX6SK5P2M_WE	Coming soon		CPX6SK5P2M_GY	Coming soon	
<b>Fan Regulators and Dimmers</b>						
5-Step Fan Regulator (2M)	CPX5STFAN2M_WE	852	1	CPX5STFAN2M_GY	1019	5
4-Step Fan Regulator (1M), White	CPX4STFAN1M_WE	743	10	CPX4STFAN1M_GY	890	10
400W Dimmer (1M)	CPXDIM1M_WE	802	1	CPXDIM1M_GY	916	1
400W Dimmer (2M)	CPXDIM2M_WE	1187	1	CPXDIM2M_GY	1423	1
1200W Dimmer	CPXDIM2M_1200_WE	1528	1	CPXDIM2M_1200_GY	1832	5
<b>USB Chargers</b>						
2.1A USB Charger (1M)	CPX21USB1P1M_WE	1380	1	CPX21USB1P1M_GY	1630	1
2.1A USB Charger (2M)	CPX21USB2P2M_WE	1943	15	CPX21USB2P2M_GY	2671	15
<b>Accessories</b>						
RJ11 Tel Outlet, No Shutter	CPXRJ11NS1M_WE	198	5	CPXRJ11NS1M_GY	240	5
RJ11 Tel Outlet with Shutter	CPXRJ11_1M_WE	201	5	CPXRJ11_1M_GY	240	5
Twin RJ11 Tel Outlets (1M)	CPXRJ11TW1M_WE	298	12	CPXRJ11TW1M_GY	364	12
RJ45 Data Outlet with Shutter	CPXRJ451M_WE	686	12	CPXRJ451M_GY	805	12
TV Socket	CPXTVCOAX1M_WE	188	5	CPXTVCOAX1M_GY	229	5
RJ45 Cover for Keystone Type	CPXRJ45KS1M_WE	225	5	CPXRJ45KS1M_GY	276	5
Grippled Cord Outlet	CPXCORD1M_WE	214	5	CPXCORD1M_GY	245	10
Foot Light with LED	CPXFTLP2M_WE	Coming Soon		CPXFTLP2M_GY	Coming soon	
Buzzer	CPXBUZZ2M_WE	880	-	CPXBUZZ2M_GY	922	2
Blank Off Unit (1M)	CPXBLANK1M_WE	53	-	CPXBLANK1M_GY	70	5
<b>Neon Phase Indicator</b>						
Neon Phase Indicator (Green)	CPXPHASEG1M	315	12	-	-	-
Neon Phase Indicator (Red)	CPXPHASER1M	315	12	-	-	-
Neon Phase Indicator (Red)	CPXPHASEY1M	315	12	-	-	-
<b>Hotel Series</b>						
DND Indicator	CPXDNDIN1M_WE	489	12	-	-	-
DND Switch	CPXDNDSW1M_WE	383	1	CPXDNDSW1M_GY	453	1
MMR Indicator	CPXMMRIN1M_WE	489	12	-	-	-
MMR Switch	CPXMMRSW1M_WE	383	1	CPXMMRSW1M_GY	453	20
16A Electronic Keypad Switch	CPXKEYCARDSW_WE	4260	1	CPXKEYCARDSW_GY	5025	1
Shaver Socket Horizontal	CPXSHAVER_WE	4404	1	CPXSHAVER_GY	5195	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Clipsal X - As Stylish As Your World



White



Coke Grey



Metallic Copper



Charcoal Black

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Metallic Copper	Unit MRP [₹]	Pack	Reference for Charcoal Black	Unit MRP [₹]	Pack
<b>Cover Plates</b>												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_WE	130	1	CPXCP1M_GY	222	10	CPXCP1M_MC	247	10	CPXCP1M_CB	247	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_WE	141	10	CPXCP2M_GY	240	10	CPXCP2M_MC	268	10	CPXCP2M_CB	268	10
3M Grid & 3M Cover Frame	CPXCP3M_WE	161	10	CPXCP3M_GY	273	10	CPXCP3M_MC	306	10	CPXCP3M_CB	306	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_WE	183	10	CPXCP3MU_GY	311	10	CPXCP3MU_MC	348	1	CPXCP3MU_CB	348	1
4M Grid & 4M Cover Frame	CPXCP4M_WE	190	1	CPXCP4M_GY	322	10	CPXCP4M_MC	360	10	CPXCP4M_CB	360	10
6M Grid & 6M Cover Frame	CPXCP6M_WE	276	5	CPXCP6M_GY	468	5	CPXCP6M_MC	524	1	CPXCP6M_CB	524	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_WE	342	1	CPXCP8ML_GY	581	5	CPXCP8ML_MC	649	5	CPXCP8ML_CB	649	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_WE	353	1	CPXCP8MSQ_GY	686	1	CPXCP8MSQ_MC	767	1	CPXCP8MSQ_CB	767	1
9M Cover Frame	CPXCP9M_WE	364	5	CPXCP9M_GY	587	5	-	-	-	-	-	-
9M Grid & 9M Cover Frame	-	-	-	-	-	-	-	-	-	CPXCP9M_CB	888	5
12M Grid & 12M Cover Frame	CPXCP12M_WE	399	1	CPXCP12M_GY	806	1	CPXCP12M_MC	901	5	CPXCP12M_CB	901	5
16M Cover Frame	CPXCP16M_WE	481	5	CPXCP16M_GY	783	5	-	-	-	-	-	-
18M Grid & 18M Cover Frame	CPXCP18M_WE	617	5	-	-	-	-	-	-	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Clipsal X - As Stylish As Your World



Navy Blue



Butterscotch



Terracota



Blue Sapphire

Description	Reference for Navy Blue	Unit MRP [₹]	Pack	Reference for Butterscotch	Unit MRP [₹]	Pack	Reference for Terracota	Unit MRP [₹]	Pack	Reference for Blue Sapphire	Unit MRP [₹]	Pack
<b>Cover Plates</b>												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_NB	247	10	CPXCP1M_BT	247	10	CPXCP1M_TC	247	10	CPXCP1M_BS	326	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_NB	268	10	CPXCP2M_BT	268	10	CPXCP2M_TC	268	10	CPXCP2M_BS	353	10
3M Grid & 3M Cover Frame	CPXCP3M_NB	306	10	CPXCP3M_BT	306	10	CPXCP3M_TC	306	10	CPXCP3M_BS	402	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_NB	348	1	CPXCP3MU_BT	348	1	CPXCP3MU_TC	348	1	CPXCP3MU_BS	458	10
4M Grid & 4M Cover Frame	CPXCP4M_NB	360	10	CPXCP4M_BT	360	10	CPXCP4M_TC	360	10	CPXCP4M_BS	475	10
6M Grid & 6M Cover Frame	CPXCP6M_NB	524	1	CPXCP6M_BT	524	1	CPXCP6M_TC	524	1	CPXCP6M_BS	689	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_NB	649	5	CPXCP8ML_BT	649	5	CPXCP8ML_TC	649	5	CPXCP8ML_BS	855	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_NB	767	1	CPXCP8MSQ_BT	767	1	CPXCP8MSQ_TC	767	1	CPXCP8MSQ_BS	1009	1
12M Grid & 12M Cover Frame	CPXCP12M_NB	901	5	CPXCP12M_BT	901	5	CPXCP12M_TC	901	5	CPXCP12M_PF	1185	1




Sheesham



Rich Leather



Slate



Pink Flamingo


Description	Reference for Sheesham	Unit MRP [₹]	Pack	Reference for Metallic Rich Leather	Unit MRP [₹]	Pack	Reference for Slate	Unit MRP [₹]	Pack	Reference for Pink Flamingo	Unit MRP [₹]	Pack
<b>Cover Plates</b>												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_SH	391	10	CPXCP1M_RL	391	10	CPXCP1M_SL	391	10	CPXCP1M_PF	326	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_SH	423	1	CPXCP2M_RL	423	1	CPXCP2M_SL	423	1	CPXCP2M_PF	353	10
3M Grid & 3M Cover Frame	CPXCP3M_SH	483	10	CPXCP3M_RL	483	10	CPXCP3M_SL	483	10	CPXCP3M_PF	402	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_SH	549	1	CPXCP3MU_RL	549	1	CPXCP3MU_SL	549	1	CPXCP3MU_PF	458	10
4M Grid & 4M Cover Frame	CPXCP4M_SH	569	1	CPXCP4M_RL	569	1	CPXCP4M_SL	569	1	CPXCP4M_PF	475	10
6M Grid & 6M Cover Frame	CPXCP6M_SH	827	1	CPXCP6M_RL	827	1	CPXCP6M_SL	827	1	CPXCP6M_PF	689	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_SH	1026	5	CPXCP8ML_RL	1026	5	CPXCP8ML_SL	1026	5	CPXCP8ML_PF	855	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_SH	1211	1	CPXCP8MSQ_RL	1211	1	CPXCP8MSQ_SL	1211	1	CPXCP8MSQ_PF	1009	1
12M Grid & 12M Cover Frame	CPXCP12M_SH	1423	5	CPXCP12M_RL	1423	5	CPXCP12M_SL	1423	5	CPXCP12M_PF	1185	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WH



X2106WH



X2010WH



X3200WH



X3104WH



X4010WH



X7003WH



X5001



X5002

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
<b>Switches</b>						
6AX 1 way switch	X1001WH	155	20	AAKY1001	196	20
6AX 1 way switch with Indicator lamp	X1081WH	246	20	AAKY1081	292	20
6AX 2 way switch	X1002WH	213	20	AAKY1002	265	20
16AX 1 way switch	X1101WH	248	20	AAKY1101	311	20
16AX 1 way switch with Indicator lamp	X1181WH	348	20	AAKY1181	411	20
16AX 2 way switch	X1102WH	335	20	AAKY1102	397	20
6AX 1 way switch (2M)	X1021WH	271	10	AAKY1021	328	10
16AX 1 way switch (2M)	X1121WH	354	10	AAKY1121	422	10
6AX 1 way switch with Indicator (2M)	X1028WH	333	10	AAKY1028	401	10
16AX 1 way switch with Indicator (2M)	X1128WH	408	10	AAKY1128	484	10
20A DP switch with Indicator (2M)	X1286WH	576	10	AAKY1286	685	10
32A DP switch (2M)	AAKX1232	857	10	-	-	-
<b>Motor Starter Switch</b>						
25A Motor Starter switch	X1186WH	1498	10	AAKY1186	1800	10
<b>Bell Push</b>						
6A Bell Push	X1005WH	240	20	AAKY1005	295	20
6A Bell Push (2M)	X1025WH	344	10	AAKY1025	418	10
6A Bell Push with Indicator	X1085WH	320	20	AAKY1085	390	20
6A Bell Push with Indicator (2M)	X1086WH	364	10	AAKY1086	441	10
<b>Sockets</b>						
6A 2/3 Pin Socket Outlet with Shutter	X2005WH	261	10	AAKY2005	316	10
6A 3Pin Socket outlet with Shutter (BIS)	X2005WHNS	261	10	AAKY2005NS	316	10
6A "Uni Socket" Outlet with Shutter	X2007WH	324	10	AAKY2007	377	10
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	400	10	AAKY2106	477	10
13A Multi Pin Socket Outlet with Shutter	X2010WH	394	10	AAKY2010	479	10
16A 3-Pin Socket Outlet with Shutter	X2103WH	450	10	AAKY2103	541	10
13A BS flat Pin Socket Outlet with Shutter	X2403WH	564	10	AAKY2403	675	10
20A 3 Pin Socket Outlet with Shutter	X2206WH	505	10	AAKY2206	607	10
25A 3 Pin Socket Outlet with Shutter	X2207WH	545	10	AAKY2207	654	10
<b>Fan Regulators &amp; Dimmers</b>						
Step Fan Regulator (1M)	X3100WH	671	10	AAKY3100	821	10
Step type fan regulator (2M)	X3200WH	940	5	AAKY3200	1124	5
Dimmer 400W (1M)	X3104WH	842	10	AAKY3104	1010	10
Dimmer 400W (2M)	X3004WH	1309	5	AAKY3004	1569	5
Dimmer 1200W	X3012WH	1687	5	AAKY3012	2023	5
<b>USB Chargers</b>						
2 Gang USB Charger - 2.1A (2M)	X7003WH	2475	15	AAKY7003	2949	15
<b>Accessories</b>						
RJ11 Telephone outlet (no shutter)	X4010WH	217	10	AAKY4010	265	10
RJ11 Telephone outlet with shutter	X4011WH	215	10	AAKY4011	265	10
Twin RJ11 Telephone outlets (no shutter) (1M)	X4020WH	328	10	AAKY4020	401	20
RJ45 Data Outlet with shutter	X4045WH	741	20	AAKY4045	887	20
TV Socket	X4500WH	202	10	AAKY4500	252	10
RJ45 Cover for Key Stone Type	X4050WH	248	10	AAKY4050	302	10
Gripped Cord Outlet	X4550WH	224	10	AAKY4550	269	10
Buzzer	X3300WH	921	2	AAKY3300	1016	2
Blank off unit (1M)	X0001WH	57	10	AAKY0001	75	20
Neon Phase Indicator (Red)	X5001	348	20	-	-	-
Neon Phase Indicator (Green)	X5002	348	20	-	-	-
Neon Phase Indicator (Yellow)	X5003	348	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Opale - Switches with Satin Finish



AAKX6002 + AAKX6004 + X0702



AAKX6006 + X0703



AAKX6005

Description	Reference	Unit MRP [₹]	Pack
<b>Hotel Series*</b>			
DND Panel	AAKX6001	541	20
DND Switch	AAKX6002	422	20
MMR Panel	AAKX6003	511	20
MMR Switch	AAKX6004	422	20
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	1101	1
Shaver Socket	AAKX6006	4859	1

\*Available in white colour only



X0733WH



AAKX0744



AAKX0754

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Matt Silver	Unit MRP [₹]	Pack	Reference for Matt Gold	Unit MRP [₹]	Pack
<b>Cover Plates</b>												
1-2 M Grid & 1 M Cover Frame	X0701	141	10	AAKY0801	172	10	AAKX0741	333	10	AAKX0751	333	10
1-2 M Grid & 2 M Cover Frame	X0702	149	10	AAKY0802	180	10	AAKX0742	358	10	AAKX0752	358	10
3 M Grid & 3 M Cover Frame	X0703	177	10	AAKY0803	215	10	AAKX0743	428	10	AAKX0753	428	10
3 M Universal Grid & 3 M Cover Frame	X0733WH	234	10	AAKY0833	279	10	AAKX0744	428	10	AAKX0754	428	10
4 M Grid & 4 M Cover Frame	X0704	207	10	AAKY0804	255	10	AAKX0745	511	10	AAKX0755	511	10
6 M Grid & 6 M Cover Frame	X0706	288	5	AAKY0806	342	5	AAKX0746	633	5	AAKX0756	633	5
8 M Grid & 8 M Cover Frame - Horizontal	X0708	375	5	AAKY0808	445	5	AAKX0747	825	5	AAKX0757	825	5
8 M Grid & 8 M Cover Frame - Square	X0709	443	5	AAKY0809	531	5	AAKX0748	825	5	AAKX0758	825	5
12 M Grid & 12 M Cover Frame	X0712	522	5	AAKY0812	623	5	AAKX0749	1128	5	AAKX0759	1,128	5
18 M Grid & 18 M Cover Frame	AAKX0718	679	5	-	-	-	-	-	-	-	-	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



# Unica Pure - Irresistibly Beautiful



Wood



Glass



Metal Rhodium Black

## Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

## Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch (1Mn+ clicks)
- Binate & Insulated Gridplate - Robust, rigid & shock proof gridplate,

## Irresistibly Easy

- Key Piercing Terminal - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

## Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

## Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

## Irresistibly Versatile

- One Stop Shop - Extensive range covering residential, office, commercial or hospitality

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
<b>6A Switches</b>						
6AX 1 Way Switch	UNS61SW1M_WE	190	20	UNS61SW1M_GY	219	20
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	293	20	UNS61SWL1M_GY	343	20
6AX 2 Way Switch	UNS62SW1M_WE	251	10	UNS62SW1M_GY	281	10
<b>6A Intermediate Switches</b>						
10AX Intermediate Switch	UNS10SW1M_WE	1071	1	UNS10SW1M_GY	1246	1
16AX 1 Way Switch	UNS161SW1M_WE	293	20	UNS161SW1M_GY	343	20
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	351	20	UNS161SWL1M_GY	409	20
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	371	10	UNS162SW1M_GY	437	10
16A Master Switch, 2 Way, With Locator & Label	UNS162MSWL1M_WE	857	20	UNS162MSWL1M_GY	1012	1
<b>Double Pole Switches</b>						
20A Double Pole Switch With Indicator	UNS20DP2M_WE	695	10	UNS20DP2M_GY	818	1
32A Double Pole Switch With Indicator	UNS32DP2M_WE	1063	10	UNS32DP2M_GY	1268	10
<b>Motor Starter Switch</b>						
Motor Starter	UNSMTSTART2M_WE	1456	10	UNSMTSTART2M_GY	1723	10
<b>Bell Switches</b>						
6A Bellpress, 1M	UNS6BP1M_WE	261	20	UNS6BP1M_GY	305	20
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	344	20	UNS6BPL1M_GY	409	1
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	341	10	UNS6BP2M_GY	401	1
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	421	10	UNS6BPL2M_GY	493	1
<b>6A Sockets</b>						
6A 3 Pin Universal Socket	UNS6SK3P2M_WE	354	10	UNS6SK3P2M_GY	409	10
6A 2 Pin Socket	UNS6SK2P1M_WE	337	20	UNS6SK2P1M_GY	388	20
6A 3PIN Sockets outlet with Shutter (BIS)	UNS6SK3P2MNS_WE	354	10	UNS6SK3P2MNS_GY	409	10
6A 5 Pin Socket	UNS6SK5P2M_WE	374	10	UNS6SK5P2M_GY	437	10
<b>6/ 16A Sockets</b>						
6/16A Socket	UNS616SK2M_WE	434	10	UNS616SK2M_GY	540	10
<b>20A &amp; 25A Sockets</b>						
20A 3 Pin Socket	UNS20SK3P2M_WE	556	10	UNS20SK3P2M_GY	644	1
25A 3 Pin Socket	UNS25SK3P2M_WE	585	10	UNS25SK3P2M_GY	682	1
<b>International Sockets</b>						
13A International Socket with Shutter	UNS13INTSK2M_WE	531	10	UNS13INTSK2M_GY	618	10



UNS61SW1M\_WE



UNS161SWL1M\_WE



UNS162MSWL1M\_WE



UNS20DP2M\_WE



UNS6SK3P2MNS\_WE



UNS616SK2M\_WE



UNS20SK3P2M\_WE



UNS13INTSK2M\_WE

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Unica Pure - Irresistibly Beautiful



UNS21USB2P2M\_WE



UNS21USB1P1M\_WE



UNS5STFAN2M\_WE



UNSLEDDIM1M\_WE



UNSEMERGENCY2M\_WE



UNSHDMI\_WE



UNSCPTVDIG1M\_WE



UNSSKTLT2M\_WE



UNSDM1M



UNSKEYCARDSW\_WE



UNSCURTAINSW2M\_WE



UNSSHAVER\_WE



UNSPIR\_WE



UNS1SK1SW3M\_WE



UNS4SK1SW9M\_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
<b>USB Chargers</b>						
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	2426	10	UNS21USB2P2M_GY	2868	1
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	1823	20	UNS21USB1P1M_GY	2160	20
<b>Blank Plates</b>						
Single Module Blank Plate	UNSLBLANK1M_WE	63	20	UNSLBLANK1M_GY	70	20
<b>Fan Regulators</b>						
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	762	20	UNS4STFAN1M_GY	883	20
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1208	10	UNS5STFAN2M_GY	1363	10
<b>Dimmers</b>						
400W Dimmer for Incandescent, 1M	UNSDIM1M_WE	1066	10	UNSDIM1M_GY	1594	10
100W Dimmer for LED, 1M	UNSLEDDIM1M_WE	3774	1	UNSLEDDIM1M_GY	4348	10
<b>Emergency Light Indicator</b>						
Emergency Light Module*	UNSEMERGENCY2M_WE	7931	1		-	-
<b>Network, Connectivity &amp; Media Series</b>						
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	242	20	UNSRJ11_1M_GY	285	20
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	883	20	UNSRJ45_1M_GY	1023	20
TV Socket Coaxial	UNSTVCOAX1M_WE	250	20	UNSTVCOAX1M_GY	298	20
Volume Control	UNSVOLCTRL2M_WE	1878	10	UNSVOLCTRL2M_GY	2198	10
HDMI	UNSHDMI_WE	1544	20	UNSHDMI_GY	1805	20
TV Socket Digital (F-Connector)	UNSCPTVDIG1M_WE	265	1	UNSCPTVDIG1M_GY	313	10
<b>Hotel Series*</b>						
Skirt Light with LED, 2M	UNSSKTLT2M_WE	1032	10	UNSSKTLT2M_GY	1208	10
Buzzer	UNSBUZZER1M_WE	1590	10	UNSBUZZER1M_GY	1743	10
Cord Outlet	UNSCORD1M_WE	306	20	UNSCORD1M_GY	340	20
Door Chime	UNSCHIME2M_WE	416	10		-	-
DND/MMR Indicator*	UNSDM1M	1168	20		-	-
DND/MMR Indicator v.2	UNSDM1M_WE	Coming Soon		UNSDM1M_GY	Coming Soon	
DND Switch	UNSDNDSW1M_WE	465	10	UNSDNDSW1M_GY	567	10
MMR Switch	UNSMMRSW1M_WE	465	10	UNSMMRSW1M_GY	567	10
Electronic Key Card Switch	UNSKEYCARDSW_WE	6232	5	UNSKEYCARDSW_GY	7205	5
Curtain Control Switch	UNSCURTAINSW2M_WE	718	10	UNSCURTAINSW2M_GY	832	10
Shaver Socket	UNSSHAVER_WE	6168	1	UNSSHAVER_GY	6727	1
PIR Motion Sensor*	UNSPIR_WE	7865	4		-	-
4 Sockets + 1 Switch Prewired, 9M	UNS4SK1SW9M_WE	2220	1		-	-
1 Socket + 1 Switch Prewired, 3M,	UNS1SK1SW3M_WE	1403	1		-	-
<b>LED Phase Indicator</b>						
LED Phase Indicator, Red	UNSPHASE1M	388	20			
LED Phase Indicator, Green	UNSPHASEG1M	388	20			
LED Phase Indicator, Yellow	UNSPHASEY1M	388	20			

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Unica Pure - Irresistibly Beautiful



UNPCP3M\_GW



UNPCP6M\_GW



UNPCP3M\_GB



UNPCP6M\_GB

Description	Reference for Aqua Glass	Unit MRP [₹]	Pack	Reference for Pearl Black Glass	Unit MRP [₹]	Pack
<b>Cover Plates</b>						
1 Module Glass Surround and Gridplate	UNPCP1M_GW	1294	6	UNPCP1M_GB	1506	6
2 Module Glass Surround and Gridplate	UNPCP2M_GW	1438	6	UNPCP2M_GB	1673	6
3 Module Glass Surround and Gridplate	UNPCP3M_GW	1633	6	UNPCP3M_GB	1840	6
4 Module Glass Surround and Gridplate	UNPCP4M_GW	1726	6	UNPCP4M_GB	2007	6
6 Module Glass Surround and Gridplate	UNPCP6M_GW	3022	3	UNPCP6M_GB	3513	3
8 Module Glass Surround and Gridplate, Linear	UNPCP8ML_GW	3405	3	UNPCP8ML_GB	3958	3
8 Module Glass Surround and Gridplate, Square	UNPCP8MSQ_GW	4316	3	UNPCP8MSQ_GB	5019	6
12 Module Glass Surround and Gridplate	UNPCP12M_GW	5324	6	UNPCP12M_GB	6189	6



UNPCP3M\_ML



UNPCP6M\_ML



UNPCP3M\_MD



UNPCP6M\_MD

Description	Reference for Pewter Grey Metal	Unit MRP [₹]	Pack	Reference for Rhodium Black Metal	Unit MRP [₹]	Pack
<b>Cover Plates</b>						
1 Module Metal Surround and Gridplate	UNPCP1M_ML	2143	6	UNPCP1M_MD	2143	6
2 Module Metal Surround and Gridplate	UNPCP2M_ML	2363	6	UNPCP2M_MD	2363	6
3 Module Metal Surround and Gridplate	UNPCP3M_ML	2701	6	UNPCP3M_MD	2701	6
4 Module Metal Surround and Gridplate	UNPCP4M_ML	2857	6	UNPCP4M_MD	2857	6
6 Module Metal Surround and Gridplate	UNPCP6M_ML	4974	3	UNPCP6M_MD	4974	3
8 Module Metal Surround and Gridplate, Linear	UNPCP8ML_ML	5578	3	UNPCP8ML_MD	5578	3
8 Module Metal Surround and Gridplate, Square	UNPCP8MSQ_ML	7089	3	UNPCP8MSQ_MD	7089	3
12 Module Metal Surround and Gridplate	UNPCP12M_ML	8764	6	UNPCP12M_MD	8764	6

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Unica Pure - Irresistibly Beautiful



UNPCP3M\_WD



UNPCP6M\_WD

Description	Reference for Oak Wood	Unit MRP [₹]	Pack
<b>Real Material Cover Plates</b>			
1 Module Wood Surround and Gridplate	UNPCP1M_WD	2108	6
2 Module Wood Surround and Gridplate	UNPCP2M_WD	2231	6
3 Module Wood Surround and Gridplate	UNPCP3M_WD	2759	6
4 Module Wood Surround and Gridplate	UNPCP4M_WD	3191	6
6 Module Wood Surround and Gridplate	UNPCP6M_WD	4540	3
8 Module Wood Surround and Gridplate, Linear	UNPCP8ML_WD	5467	3
8 Module Wood Surround and Gridplate, Square	UNPCP8MSQ_WD	6547	6
12 Module Wood Surround and Gridplate	UNPCP12M_WD	8690	6



UNSCP3M\_CL




UNSCP6M\_CL



UNSCP3M\_CD




UNSCP6M\_CD



UNSCP3M\_WE



UNSCP6M\_WE



UNSCP3M\_GY



UNSCP6M\_GY

Description	Reference for Painted Sandy Biege	Unit MRP [₹]	Pack	Reference for Painted Mocha Brown	Unit MRP [₹]	Pack	Reference for Molded Polar White	Unit MRP [₹]	Pack	Reference for Molded Volcanic Grey	Unit MRP [₹]	Pack
<b>Cover Plates</b>												
1 Module Plastic Surround and Gridplate	UNSCP1M_CL	357	20	UNSCP1M_CD	357	20	UNSCP1M_WE	196	20	UNSCP1M_GY	279	20
2 Module Plastic Surround and Gridplate	UNSCP2M_CL	398	20	UNSCP2M_CD	398	20	UNSCP2M_WE	218	20	UNSCP2M_GY	311	20
3 Module Plastic Surround and Gridplate	UNSCP3M_CL	454	10	UNSCP3M_CD	456	10	UNSCP3M_WE	250	10	UNSCP3M_GY	355	10
4 Module Plastic Surround and Gridplate	UNSCP4M_CL	477	14	UNSCP4M_CD	477	14	UNSCP4M_WE	263	14	UNSCP4M_GY	379	14
6 Module Plastic Surround and Gridplate	UNSCP6M_CL	833	5	UNSCP6M_CD	836	5	UNSCP6M_WE	459	5	UNSCP6M_GY	654	5
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_CL	943	5	UNSCP8ML_CD	943	5	UNSCP8ML_WE	517	5	UNSCP8ML_GY	731	5
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_CL	1194	10	UNSCP8MSQ_CD	1194	10	UNSCP8MSQ_WE	626	10	UNSCP8MSQ_GY	932	10
9 Module Plastic Surround and Gridplate*	-	-	-	-	-	-	UNSCP9M_WE	795	5	UNSCP9M_GY	1243	5
12 Module Plastic Surround and Gridplate	UNSCP12M_CL	1491	5	UNSCP12M_CD	1494	5	UNSCP12M_WE	882	5	UNSCP12M_GY	1552	5
16 Module Plastic Surround and Gridplate	UNSCP16M_CL	2023	5	UNSCP16M_CD	2023	5	UNSCP16M_WE	1087	5	UNSCP16M_GY	1874	5
18 Module Plastic Surround and Gridplate	UNSCP18M_CL	2167	1	UNSCP18M_CD	2167	1	UNSCP18M_WE	1106	1	UNSCP18M_GY	1965	5

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# ZENcelo India - The Revolutionary Full-Flat Switch



- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range
- **Dust Proof Cover**



Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack
<b>Switches</b>						
6AX 1 Way switch	IN8401	329	10	IN8401(BZ)	413	10
6AX 1 Way switch (2M)	IN8421	509	10	IN8421(BZ)	613	10
6AX 2 Way switch	IN8402	401	10	IN8402(BZ)	481	10
6AX 1 Way switch with Neon	IN8481	499	10	IN8481(BZ)	597	10
16AX~20A 1 Way switch	IN8401/16	483	10	IN8401/16(BZ)	589	10
16AX~20A 1 Way switch (2M)	IN8421/16	679	10	IN8421/16(BZ)	802	10
16AX~20A 1 Way switch with Neon	IN8481/16	681	10	IN8481/16(BZ)	807	10
16AX~20A 1 Way switch with Neon (2M)	IN8482/16	802	10	IN8482/16(BZ)	944	10
16AX~20A 2 Way switch	IN8402/16	675	10	IN8402/16(BZ)	796	10
16AX~20A 2 Way switch (2M)	IN8422/16	807	10	IN8422/16(BZ)	948	10
16AX~20A 1 Way 2G switch (1M)	IN8444/16	783	10	IN8444/16(BZ)	944	10
10AX Intermediate switch	IN8430/IM	1131	10	IN8430/IM(BZ)	1279	1
20A DP Switch with Neon (2M)	IN8486/20	1050	5	IN8486/20(BZ)	1240	5
32A DP Switch with Neon (2M)	IN8486/32	1649	5	IN8486/32(BZ)	1962	5
<b>Motor Starter Switch</b>						
25A Motor Starter switch (2M)	IN8425MS	2673	10	IN8425MS(BZ)	2844	10
<b>Bell Push</b>						
6A Bell Push switch	IN8405	455	10	IN8405(BZ)	549	10
6A Bell Push switch (2M)	IN8425	664	10	IN8425(BZ)	785	10
6A Bell Push switch with Neon	IN8485	591	10	IN8485(BZ)	697	10
6A Bell Push switch with Neon (2M)	IN8486	734	10	IN8486(BZ)	864	10
<b>Sockets</b>						
2~3 Pin Universal Socket with Shutter	IN8426U	523	10	IN8426U(BZ)	633	10
6A 3PIN Socket Outlet with Shutter (BIS)	IN8426UNS	523	10	IN8426UNS(BZ)	633	10
6A/16A 3 Pin Socket with Shutter	IN8426/16	780	10	IN8426/16(BZ)	954	10
13A Flat Pin Socket with Shutter	IN84213	1067	10	IN84213(BZ)	1262	10
International Socket with Shutter	IN84213IS	920	10	IN84213IS(BZ)	1151	10
Universal 2 Pin Socket with Shutter	IN84226U	549	10	IN84226U(BZ)	644	10
20A 3 Pin Socket with Shutter	IN84220	994	10	IN84220(BZ)	1169	10
25A 3 Pin Socket with Shutter	IN84225	1063	10	IN84225(BZ)	1252	10
<b>Fan Regulators &amp; Dimmers</b>						
Fan Control (5 Speeds)	IN84SFR	1852	5	IN84SFR(BZ)	2222	5
Full Flat 400W Dimmer Module (1 Gang)	IN8404D	1667	10	IN8404D(BZ)	1974	10
<b>USB Chargers</b>						
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	3004	10	IN8431USB_BZ	3445	10
2 Gang USB Charger - 2.1A (2M)	IN8432USB_WE	4393	1	IN8432USB_BZ	5055	10
<b>Accessories</b>						
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	501	10	IN8431RJS4(BZ)	611	10
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	1742	10	IN8431RJ6(BZ)	2128	10
Data Outlet Wall Plate (for RJ45 key stone jack)	IN8431RJC	494	10	IN8431RJC(BZ)	582	10
TV Socket	IN8431TV	379	10	IN8431TV(BZ)	457	10
Cord Outlet	IN8445CO	435	10	IN8445CO(BZ)	529	10
Foot Lamp with White LED (2M)	IN8490FLW	3501	10	-	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	3413	10	-	-	-
Blank off unit (1M)	IN8430X	117	10	IN8430X(BZ)	144	10
<b>Hotel Series</b>						
Do Not Disturb Panel	INH8451	2420	10	INH8451(BZ)	2867	10
Make My Room Panel	INH8454	2200	10	INH8454(BZ)	2597	10
Do Not Disturb Switch	INH8452	1202	10	INH8452(BZ)	1416	10
Do Not Disturb Switch (2M)	INH8453	1224	10	INH8453(BZ)	1445	10
Make My Room Switch	INH8455	1174	10	INH8455(BZ)	1384	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# ZENcelo India - The Revolutionary Full-Flat Switch



IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)



IN84012C(SA)

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Satin Silver	Unit MRP [₹]	Pack
<b>Cover Plates</b>												
1M Grid & 1M Cover Frame	IN8401C	300	10	IN8401C(BZ)	356	10	IN8401C(SZ)	827	10	IN8401C(SA)	827	10
2M Grid & 2M Cover Frame	IN8402C	312	10	IN8402C(BZ)	372	10	IN8402C(SZ)	818	10	IN8402C(SA)	818	10
3M Grid & 3M Cover Frame	IN8403C	368	10	IN8403C(BZ)	439	10	IN8403C(SZ)	1005	10	IN8403C(SA)	1005	10
4M Grid & 4M Cover Frame	IN8404C	400	10	IN8404C(BZ)	516	10	IN8404C(SZ)	1208	10	IN8404C(SA)	1208	10
6M Grid & 6M Cover Frame	IN8406C	610	5	IN8406C(BZ)	726	5	IN8406C(SZ)	1658	5	IN8406C(SA)	1658	5
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	726	5	IN8408HC(BZ)	868	5	IN8408HC(SZ)	2241	5	IN8408HC(SA)	2241	5
8M Grid & 8M Cover Frame - Square	IN8408SC	959	5	IN8408SC(BZ)	1208	5	IN8408SC(SZ)	2721	5	IN8408SC(SA)	2721	5
9M Grid & 9M Cover Frame	IN8409C	1192	5	IN8409C(BZ)	1490	5	IN8409C(SZ)	3592	5	IN8409C(SA)	3592	5
12M Grid & 12M Cover Frame	IN84012C	1577	5	IN84012C(BZ)	1940	5	IN84012C(SZ)	5013	5	IN84012C(SA)	5013	5
18M Grid & 18M Cover Frame	IN84018C	2224	5	IN84018C(BZ)	2617	5	IN84018C(SZ)	6636	5	IN84018C(SA)	6636	5

## Blister Pack - Dust proof cover

All Zencelo India cover plates comes with free blister pack to prevent from dust during installation



Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



# ZENcelo BS - The Revolutionary Full-Flat Switch



- **British Standard** - Consistent Plate Size across functions
- World's First and only **Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range



E8432/1>SZ-OS



E8433/1-OS



E8415\_10\_WE



E8431D20-OS



E431RJS4-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Brozne	Unit MRP [₹]	Pack
<b>Switches</b>						
16AX/20A 1 Gang 1 Way switch with Ondicator	E8431/1-OS	460	1	E8431/1>SZ-OS	572	1
16AX/20A 2 Gang 1 Way switch with Ondicator	E8432/1-OS	712	1	E8432/1>SZ-OS	890	1
16AX/20A 3 Gang 1 Way switch with Ondicator	E8433/1-OS	1164	1	E8433/1>SZ-OS	1454	1
16AX/20A 4 Gang 1 Way switch with Ondicator	E8434/1-OS	1678	1	E8434/1>SZ-OS	2097	1
16AX/20A 1 Gang 2 Way switch	E8431/2-OS	493	1	E8431/2>SZ-OS	613	1
16AX/20A 2 Gang 2 Way switch	E8432/2-OS	864	1	E8432/2>SZ-OS	1077	1
16AX/20A 3 Gang 2 Way switch	E8433/2-OS	1253	1	E8433/2>SZ-OS	1575	1
16AX 1 Gang Intermediate Switch	E8431/I-OS	1366	1	E8431/I>SZ-OS	1708	1
<b>Double Pole Switches</b>						
20A 1 Gang Double Pole switch with Neon	E8431D20-OS	1306	1	E8431D20>SZ-OS	1708	1
32A 1 Gang Double Pole switch with Neon	E8431D32-OS	1734	1	E8431D32>SZ-OS	2281	1
<b>Bell Push</b>						
10A Full-Flat Bell Switch	E8431BP1-OS	501	1	E8431BP1>SZ-OS	617	1
<b>Sockets</b>						
5A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/5-OS	908	1	E8415/5>SZ-OS	1132	1
5A 1 Gang 3 Round Pin Switched Socket with Neon and Shutter	E8415/5N-OS	1275	1	E8415/5N>SZ-OS	1601	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/15-OS	1073	1	E8415/15>SZ-OS	1341	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon	E8415/15N-OS	1575	1	E8415/15N>SZ-OS	1950	1
16A 1 Gang International Socket with Shutter	E84426/16IS-OS	1141	1	E84426/16IS>SZ-OS	1423	1
13A 1 Gang Switched Socket with Ondicator	E8415-OS	1341	1	E8415>SZ-OS	1678	1
13A 1 Gang Switched Socket with Neon	E8415N-OS	1132	1	E8415N>SZ-OS	1411	1
10/16A Switched Socket Outlet - Shuttered	E8415_16_10_WE	1195	1	E8415_16_10_SZ	1398	1
10A 2-3 pin Switched Socket Outlet - Shuttered	E8415_10_WE	950	1	E8415_10_SZ	1185	1
<b>Fan Regulators &amp; Dimmers</b>						
350VA 50Hz 1 Gang Full-Flat Universal Dimmer with LED	E8431EPD4-OS	2967	1	E8431EPD4>SZ-OS	3704	1
<b>Accessories</b>						
1 Gang TV Socket Master	E8431TVM-OS	575	1	E8431TVM>SZ-OS	716	1
1 Gang Telephone Socket on Shuttered Wallplate	E8431RJS4-OS	733	1	E8431RJS4>SZ-OS	917	1
2 Gang Telephone Socket on Shuttered Wallplate	E8432RJS4-OS	1708	1	E8432RJS4>SZ-OS	2122	1
1 Gang Data Outlet Category 5E with Integrated Shutter	E8431RJ/5-OS	1141	8	E8431RJ/5>SZ-OS	1423	1
1 Gang Data Outlet Category 6 with Integrated Shutter	E8431RJ/6-OS	1366	1	E8431RJ/6>SZ-OS	1708	1
1 Gang Data Outlet Category 5E on Shuttered Wallplate	E8431RJS/5-OS	1423	1	E8431RJS/5>SZ-OS	1785	1
1 Gang Data Outlet Category 6 on Shuttered Wallplate	E8431RJS/6-OS	1708	1	E8431RJS/6>SZ-OS	2129	1
2 Gang Data Outlet Category 5E with Integrated Shutter	E8432RJ/5-OS	1995	1	E8432RJ/5>SZ-OS	2484	1
2 Gang Data Outlet Category 6 with Integrated Shutter	E8432RJ/6-OS	2561	1	E8432RJ/6>SZ-OS	3182	1
2 Gang Data Outlet Category 5E on Shuttered Wallplate	E8432RJS/5-OS	1995	1	E8432RJS/5>SZ-OS	2484	1
2 Gang Data Outlet Category 6 on Shuttered Wallplate	E8432RJS/6-OS	2561	1	E8432RJS/6>SZ-OS	3182	1
2 Gang Telephone + Data Outlet Category 5E with Integrated Shutter	E8432TDRJ/5-OS	1708	1	E8432TDRJ/5>SZ-OS	2129	1
2 Gang Telephone + Data Outlet Category 5E on Shuttered Wallplate	E8432TDRJS/5-OS	2122	1	E8432TDRJS/5>SZ-OS	2649	1
2 Gang Telephone + Data Outlet Category 6 on Shuttered Wallplate	E8432TDRJS/6-OS	2415	1	E8432TDRJS/6>SZ-OS	3012	1
TV + Cat 6 shutter outlet	E8432TVRJ6_WE_G1	2122	1	E8432TVRJ6_SZ_G1	2319	1
25A Connection Unit	E8431TB-OS	1141	1	E8431TB>SZ-OS	1423	1
Blank off unit (1M)	E8430X-OS	305	1	E8430X>SZ-OS	382	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# ZENcelo BS - The Revolutionary Full-Flat Switch



E8431USB\_WE



E8431USB\_SZ



E8431USB\_SA

Description	Reference For White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack	Reference For Satin Silver	Unit MRP [₹]	Pack
<b>USB Chargers</b>									
1 Gang 2.1A USB Charger	E8431USB_WE	4107	1	E8431USB_SZ	4581	1	E8431USB_SA	4581	1
1 Gang 2.1A USB Charger(ISI)	E8431USB_WE_G8	4302	10	E8431USB_SZ_G8	4799	10	E8431USB_SA_G8	4799	10



E8431EKT-OS



E8432DMS>SZ-OS



E84T727H-OS



E84T727V>SZ-OS


Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack
<b>Hotel Series</b>						
Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8432DM-OS	3766	1	E8432DM>SZ-OS	4707	1
Illuminated "Do not Disturb" Symbol	E8431D-OS	1098	1	E8431D>SZ-OS	1366	1
1 Gang Full-Flat Switch with Illuminated "Do not Disturb" Symbol	E8431DS-OS	592	1	E8431DS>SZ-OS	737	1
2 Gang Full-Flat Switch with Illuminated "Do not Disturb" & "Please Clean Up" Symbols	E8432DMS-OS	4148	1	E8432DMS>SZ-OS	5178	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" Symbol	E8431BPD-OS2870	3157	1	E8431BPD>SZ-OS	3831	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8431BPDM-OS	4028	1	E8431BPDM>SZ-OS	5025	1
16A Electronic Key Card Time Delay Switch	E8431EKT-OS	8049	1	E8431EKT>SZ-OS	10063	1
Universal Shaver Unit, Vertical	E84T727V-OS	4554	1	E84T727V>SZ-OS	5673	1
Universal Shaver Unit, Horizontal	E84T727H-OS	4554	1	E84T727H>SZ-OS	5673	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# AvatarOn - It's also a Switch



**Award-winning Designs:** In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

### Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

### Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

### Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.








### Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

### Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

### Multifunctional Accessories for Every Day Conveniences

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
<b>16A Switches (Base + Cover Plate)</b>				
 E8331L1_WE_G8	White	E8331L1_WE_G8	441	1
	Wine Gold	E8331L1_WG_G8	662	10
	Dark Grey	E8331L1_DG_G8	662	1
	Metal Gold Hairline	E8331L1_GH_G8	662	10
	Light Wood	E8331L1_LW_G8	662	10
	Dark Wood	E8331L1_WD_G8	662	10
 E8331L1LED_WE_G8	White	E8331L1LED_WE_G8	662	1
	Wine Gold	E8331L1LED_WG_G8	991	10
	Dark Grey	E8331L1LED_DG_G8	991	1
	Metal Gold Hairline	E8331L1LED_GH_G8	991	10
	Light Wood	E8331L1LED_LW_G8	991	10
	Dark Wood	E8331L1LED_WD_G8	991	10
 E8331L2_WE_G8	White	E8331L2_WE_G8	471	1
	Wine Gold	E8331L2_WG_G8	707	10
	Dark Grey	E8331L2_DG_G8	707	1
	Metal Gold Hairline	E8331L2_GH_G8	707	10
	Light Wood	E8331L2_LW_G8	707	10
	Dark Wood	E8331L2_WD_G8	707	10
 E8331L2LED_WE_G8	White	E8331L2LED_WE_G8	707	10
	Wine Gold	E8331L2LED_WG_G8	1061	10
	Dark Grey	E8331L2LED_DG_G8	1061	1
	Metal Gold Hairline	E8331L2LED_GH_G8	1061	10
	Light Wood	E8331L2LED_LW_G8	1061	10
	Dark Wood	E8331L2LED_WD_G8	1061	10
 E8332L1_WE_G8	White	E8332L1_WE_G8	681	1
	Wine Gold	E8332L1_WG_G8	1023	10
	Dark Grey	E8332L1_DG_G8	1023	1
	Metal Gold Hairline	E8332L1_GH_G8	1023	10
	Light Wood	E8332L1_LW_G8	1023	10
	Dark Wood	E8332L1_WD_G8	1023	10
 E8332L1LED_WE_G8	White	E8332L1LED_WE_G8	1023	1
	Wine Gold	E8332L1LED_WG_G8	1534	10
	Dark Grey	E8332L1LED_DG_G8	1534	1
	Metal Gold Hairline	E8332L1LED_GH_G8	1534	10
	Light Wood	E8332L1LED_LW_G8	1534	10
	Dark Wood	E8332L1LED_WD_G8	1534	10
 E8332L2_WE_G8	White	E8332L2_WE_G8	828	1
	Wine Gold	E8332L2_WG_G8	1243	10
	Dark Grey	E8332L2_DG_G8	1243	1
	Metal Gold Hairline	E8332L2_GH_G8	1243	10
	Light Wood	E8332L2_LW_G8	1243	10
	Dark Wood	E8332L2_WD_G8	1243	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# AvatarOn - It's also a Switch

		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
<b>16A Switches (Base + Cover Plate)</b>						
 <b>E8332L2LED_WE_G8</b>	 <b>E8332L2LED_WD_G8</b>	16AX 250V 2 Gang 2 Way Switch with LED Indicator	White	E8332L2LED_WE_G8	1243	10
			Wine Gold	E8332L2LED_WG_G8	1865	10
			Dark Grey	E8332L2LED_DG_G8	1865	1
			Metal Gold Hairline	E8332L2LED_GH_G8	1865	10
			Light Wood	E8332L2LED_LW_G8	1865	10
			Dark Wood	E8332L2LED_WD_G8	1865	10
 <b>E8333L1LED_WE_G8</b>	 <b>E8333L1LED_WD_G8</b>	16AX 250V 3 gang 1 Way Switch	White	E8333L1_WE_G8	1117	1
			Wine Gold	E8333L1_WG_G8	1676	10
			Dark Grey	E8333L1_DG_G8	1676	1
			Metal Gold Hairline	E8333L1_GH_G8	1676	10
			Light Wood	E8333L1_LW_G8	1676	10
			Dark Wood	E8333L1_WD_G8	1676	10
 <b>E8333L2_WE_G8</b>	 <b>E8333L2_WD_G8</b>	16AX 250V 3 gang 1 Way Switch with LED Indicator	White	E8333L1LED_WE_G8	1676	10
			Wine Gold	E8333L1LED_WG_G8	2514	10
			Dark Grey	E8333L1LED_DG_G8	2514	1
			Metal Gold Hairline	E8333L1LED_GH_G8	2514	10
			Light Wood	E8333L1LED_LW_G8	2514	10
			Dark Wood	E8333L1LED_WD_G8	2514	10
 <b>E8333L2LED_WE_G8</b>	 <b>E8333L2LED_WD_G8</b>	16AX 250V 3 gang 2 Way Switch	White	E8333L2_WE_G8	1203	1
			Wine Gold	E8333L2_WG_G8	1805	10
			Dark Grey	E8333L2_DG_G8	1805	1
			Metal Gold Hairline	E8333L2_GH_G8	1805	10
			Light Wood	E8333L2_LW_G8	1805	10
			Dark Wood	E8333L2_WD_G8	1805	10
 <b>E8333L2LED_WE_G8</b>	 <b>E8333L2LED_WD_G8</b>	1 16AX 250V 3 gang 2 Way Switch with LED Indicator	White	E8333L2LED_WE_G8	1805	10
			Wine Gold	E8333L2LED_WG_G8	2707	10
			Dark Grey	E8333L2LED_DG_G8	2707	1
			Metal Gold Hairline	E8333L2LED_GH_G8	2707	10
			Light Wood	E8333L2LED_LW_G8	2707	10
			Dark Wood	E8333L2LED_WD_G8	2707	10
 <b>E8334L1_WE_G8</b>	 <b>E8334L1_WD_G8</b>	16AX 250V 4 Gang 1 Way Switch	White	E8334L1_WE_G8	1608	1
			Wine Gold	E8334L1_WG_G8	2412	10
			Dark Grey	E8334L1_DG_G8	2412	1
			Metal Gold Hairline	E8334L1_GH_G8	2412	10
			Light Wood	E8334L1_LW_G8	2412	10
			Dark Wood	E8334L1_WD_G8	2412	10
 <b>E8334L1LED_WE_G8</b>	 <b>E8334L1LED_WD_G8</b>	16AX 250V 4 Gang 1 Way Switch with LED Indicator	White	E8334L1LED_WE_G8	2412	10
			Wine Gold	E8334L1LED_WG_G8	3617	10
			Dark Grey	E8334L1LED_DG_G8	3617	1
			Metal Gold Hairline	E8334L1LED_GH_G8	3617	10
			Light Wood	E8334L1LED_LW_G8	3617	10
			Dark Wood	E8334L1LED_WD_G8	3617	10
 <b>E8334L2_WE_G8</b>	 <b>E8334L2_WD_G8</b>	16AX 250V 4 Gang 2 Way Switch	White	E8334L2_WE_G8	1849	1
			Wine Gold	E8334L2_WG_G8	2773	10
			Dark Grey	E8334L2_DG_G8	2773	1
			Metal Gold Hairline	E8334L2_GH_G8	2773	10
			Light Wood	E8334L2_LW_G8	2773	10
			Dark Wood	E8334L2_WD_G8	2773	10
 <b>E8334L2LED_WE_G8</b>	 <b>E8334L2LED_WD_G8</b>	16AX 250V 4 Gang 2 Way Switch with LED Indicator	White	E8334L2LED_WE_G8	2773	10
			Wine Gold	E8334L2LED_WG_G8	4160	10
			Dark Grey	E8334L2LED_DG_G8	4160	1
			Metal Gold Hairline	E8334L2LED_GH_G8	4160	10
			Light Wood	E8334L2LED_LW_G8	4160	10
			Dark Wood	E8334L2LED_WD_G8	4160	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# AvatarOn - It's also a Switch

















		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
<b>16A Intermediate Switches</b>						
 E8331M_WE_G8	 E8331M_WD_G8	16AX 250V 1 Gang Intermediate Switch	White	E8331M_WE_G8	1308	1
			Wine Gold	E8331M_WG_G8	1962	1
			Dark Grey	E8331M_DG_G8	1962	1
			Metal Gold Hairline	E8331M_GH_G8	1962	1
			Light Wood	E8331M_LW_G8	1962	1
			Dark Wood	E8331M_WD_G8	1962	1
<b>10A Momentary Switches</b>						
 E8331PRL1_WE_G8	 E8331PRL1_WD_G8	10A 250V 1 Gang Momentary Switch	White	E8331PRL1_WE_G8	480	10
			Wine Gold	E8331PRL1_WG_G8	719	10
			Dark Grey	E8331PRL1_DG_G8	719	1
			Metal Gold Hairline	E8331PRL1_GH_G8	719	10
			Light Wood	E8331PRL1_LW_G8	719	10
			Dark Wood	E8331PRL1_WD_G8	719	10
 E8332PRL1_WE_G8	 E8332PRL1_WD_G8	10A 250V 2 Gang Momentary Switch	White	E8332PRL1_WE_G8	575	10
			Wine Gold	E8332PRL1_WG_G8	863	10
			Dark Grey	E8332PRL1_DG_G8	863	1
			Metal Gold Hairline	E8332PRL1_GH_G8	863	10
			Light Wood	E8332PRL1_LW_G8	863	10
			Dark Wood	E8332PRL1_WD_G8	863	10
<b>Double Pole Switches</b>						
 E8331D20N_WE_G8	 E8331D20N_WD_G8	20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	1128	10
			Wine Gold	E8331D20N_WG_G8	1692	10
			Dark Grey	E8331D20N_DG_G8	1692	1
			Metal Gold Hairline	E8331D20N_GH_G8	1692	10
			Light Wood	E8331D20N_LW_G8	1692	10
			Dark Wood	E8331D20N_WD_G8	1692	10
 E8331D32N_WE_G8	 E8332D20N_WD_G8	20A 250V 2 Gang Double Pole Switch with LED Indicator	White	E8332D20N_WE_G8	1437	10
			Wine Gold	E8332D20N_WG_G8	2030	10
			Dark Grey	E8332D20N_DG_G8	2030	1
			Metal Gold Hairline	E8332D20N_GH_G8	2030	10
			Light Wood	E8332D20N_LW_G8	2030	10
			Dark Wood	E8332D20N_WD_G8	2030	10
 E8332D32N_WE_G8	 E8331D32N_WD_G8	32A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D32N_WE_G8	1497	10
			Wine Gold	E8331D32N_WG_G8	2245	10
			Dark Grey	E8331D32N_DG_G8	2245	1
			Metal Gold Hairline	E8331D32N_GH_G8	2245	10
			Light Wood	E8331D32N_LW_G8	2245	10
			Dark Wood	E8331D32N_WD_G8	2245	10
 E8331D45N_WE_G8	 E8331D45N_WD_G8	45A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D45N_WE_G8	1871	10
			Wine Gold	E8331D45N_WG_G8	2807	10
			Dark Grey	E8331D45N_DG_G8	2807	1
			Metal Gold Hairline	E8331D45N_GH_G8	2807	10
			Light Wood	E8331D45N_LW_G8	2807	10
			Dark Wood	E8331D45N_WD_G8	2807	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# AvatarOn - It's also a Switch

		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack		
 <b>E8331BPL1_WE_G8</b>	 <b>E8331BPL1_WD_G8</b>	<b>Bell Push Switch</b>						
		10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	480	1		
			Wine Gold	E8331BPL1_WG_G8	719	10		
			Dark Grey	E8331BPL1_DG_G8	719	1		
			Metal Gold Hairline	E8331BPL1_GH_G8	719	10		
			Light Wood	E8331BPL1_LW_G8	719	10		
Dark Wood	E8331BPL1_WD_G8		719	10				
 <b>E83426TSI_WE</b>	 <b>E83426TSI_WG</b>	<b>Sockets</b>						
		10A International Socket for India	White	E83426TSI_WE	1285	1		
			Wine Gold	E83426TSI_WG	1930	1		
			Dark Grey	E83426TSI_DG	1930	1		
		 <b>E8315_16_WE</b>	 <b>E8315_16_WD</b>	6A 2/3 Pin Switched Socket	White	E8315_6_WE	969	8
					Wine Gold	E8315_6_WG	1232	8
Dark Grey	E8315_6_DG				1232	1		
Metal Gold Hairline	E8315_6_GH				1232	8		
Light Wood	E8315_6_LW				1232	8		
Dark Wood	E8315_6_WD				1232	8		
 <b>E8315_16_WE</b>	 <b>E8315_16_WD</b>	6/16A Switched Socket	White	E8315_16_WE	1216	8		
			Wine Gold	E8315_16_WG	1546	8		
			Dark Grey	E8315_16_DG	1546	1		
			Metal Gold Hairline	E8315_16_GH	1546	8		
			Light Wood	E8315_16_LW	1546	8		
			Dark Wood	E8315_16_WD	1546	8		
 <b>E8331FR350_WE_G8</b>	 <b>E8331FR350_WD_G8</b>	<b>Fan Regulators</b>						
		5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	2309	1		
			Wine Gold	E8331FR350_WG_G8	3044	1		
			Dark Grey	E8331FR350_DG_G8	3044	1		
			Metal Gold Hairline	E8331FR350_GH_G8	3044	1		
			Light Wood	E8331FR350_LW_G8	3044	1		
Dark Wood	E8331FR350_WD_G8		3044	1				
 <b>E8331_WE</b>	 <b>E8331_WD</b>	<b>Switch &amp; Socket Covers (Additional)</b>						
		1 Gang Switch Cover	White	E8331_WE	121	1		
			Wine Gold	E8331_WG	303	1		
			Dark Grey	E8331_DG	303	1		
			Metal Gold Hairline	E8331_GH	303	1		
			Light Wood	E8331_LW	303	1		
Dark Wood	E8331_WD		303	1				
 <b>E8331KH_WE</b>	 <b>E8331KH_WD</b>	1 Gang Switch Cover with Keyholder	White	E8331KH_WE	226	1		
			Wine Gold	E8331KH_WG	408	1		
			Dark Grey	E8331KH_DG	408	1		
			Metal Gold Hairline	E8331KH_GH	408	1		
			Light Wood	E8331KH_LW	408	1		
			Dark Wood	E8331KH_WD	408	1		
 <b>E8332_WE</b>	 <b>E8332_WD</b>	2 Gang Switch Cover	White	E8332_WE	184	1		
			Wine Gold	E8332_WG	413	1		
			Dark Grey	E8332_DG	413	1		
			Metal Gold Hairline	E8332_GH	413	1		
			Light Wood	E8332_LW	413	1		
			Dark Wood	E8332_WD	413	1		
 <b>E8333_WE</b>	 <b>E8333_WD</b>	3 Gang Switch Cover	White	E8333_WE	284	1		
			Wine Gold	E8333_WG	607	1		
			Dark Grey	E8333_DG	607	1		
			Metal Gold Hairline	E8333_GH	607	1		
			Light Wood	E8333_LW	607	1		
			Dark Wood	E8333_WD	607	1		
 <b>E8333KH_WE</b>	 <b>E8333KH_WD</b>	3 Gang Switch Cover with Keyholder	White	E8333KH_WE	369	1		
			Wine Gold	E8333KH_WG	712	1		
			Dark Grey	E8333KH_DG	712	1		
			Metal Gold Hairline	E8333KH_GH	712	1		
			Light Wood	E8333KH_LW	712	1		
			Dark Wood	E8333KH_WD	712	1		

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



# AvatarOn - It's also a Switch



E8334\_WE



E8334\_WD



E8315C\_6\_WE



E8315C\_6\_WD



E8315C\_16\_WE



E8315C\_16\_WD



E8315USB\_WE\_G8



E8315USB\_WD\_G8



E8332USB\_WE\_G8




E8332USB\_WD\_G8



E8331\_26\_WE



E8331\_36\_WE



E8331\_46\_WE



E8330TX\_WE

Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack	
4G Switch Cover	White	E8334_WE	399	1	
	Wine Gold	E8334_WG	828	1	
	Dark Grey	E8334_DG	828	1	
	Metal Gold Hairline	E8334_GH	828	1	
	Light Wood	E8334_LW	828	1	
	Dark Wood	E8334_WD	828	1	
6A 2/3 Pin Switched Socket Cover	White	E8315C_6_WE	341	12	
	Wine Gold	E8315C_6_WG	578	12	
	Dark Grey	E8315C_6_DG	578	1	
	Metal Gold Hairline	E8315C_6_GH	578	12	
	Light Wood	E8315C_6_LW	578	12	
	Dark Wood	E8315C_6_WD	578	12	
	6/16A Switched Socket Cover	White	E8315C_16_WE	368	12
Wine Gold		E8315C_16_WG	604	12	
Dark Grey		E8315C_16_DG	604	1	
Metal Gold Hairline		E8315C_16_GH	604	12	
Light Wood		E8315C_16_LW	604	12	
Dark Wood		E8315C_16_WD	604	12	
<b>USB Chargers</b>					
13A 250V Switched Socket with 2.1A USB Charger (Compatible with Type G Plugs)	White	E8315USB_WE_G8	6955	10	
	Wine Gold	E8315USB_WG_G8	10433	10	
	Dark Grey	E8315USB_DG_G8	10433	1	
	Metal Gold Hairline	E8315USB_GH_G8	10433	10	
	Light Wood	E8315USB_LW_G8	10433	10	
	Dark Wood	E8315USB_WD_G8	10433	10	
2 Ports Max 2.1A USB Charger with Mobile Holder	White	E83311USB_WE_G8	4545	1	
	Wine Gold	E83311USB_WG_G8	6818	1	
	Dark Grey	E83311USB_DG_G8	6818	1	
2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)	White	E8332USB_WE_G8	5682	1	
	Wine Gold	E8332USB_WG_G8	8524	1	
	Dark Grey	E8332USB_DG_G8	8524	1	
	Metal Gold Hairline	E8332USB_GH_G8	8524	1	
	Light Wood	E8332USB_LW_G8	8524	1	
Dark Wood	E8332USB_WD_G8	8524	1		
	<b>Bracket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)</b>				
	2 Gang Bracket/Frame	White	E8331_26_WE	201	1
		Wine Gold	E8331_26_WG	263	1
		Dark Grey	E8331_26_DG	263	1
3 Gang Bracket/Frame	White	E8331_36_WE	221	1	
	Wine Gold	E8331_36_WG	309	1	
	Dark Grey	E8331_36_DG	309	1	
4 Gang Bracket/ Frame	White	E8331_46_WE	236	1	
	Wine Gold	E8331_46_WG	332	1	
	Dark Grey	E8331_46_DG	332	1	
<b>Blank Plates</b>					
1 Gang Blank Plate	White	E8330X_WE	291	1	
	Wine Gold	E8330X_WG	437	1	
	Dark Grey	E8330X_DG	437	1	
	Metal Gold Hairline	E8330X_GH	437	1	
	Light Wood	E8330X_LW	437	1	
	Dark Wood	E8330X_WD	437	1	
2 Gang Blank Plate	White	E8330TX_WE	406	10	
	Wine Gold	E8330TX_WG	631	10	
	Dark Grey	E8330TX_DG	631	1	
	Metal Gold Hairline	E8330TX_GH	631	10	
	Light Wood	E8330TX_LW	631	10	
	Dark Wood	E8330TX_WD	631	10	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# AvatarOn - It's also a Switch



E8331BPDMW\_ WE\_G8



E8331BPDMW\_ WD\_G8



E8331KPB\_ WE



E8331KPB\_ WD



E8332C\_ WE\_G8



E8332C\_ WD\_G8



E83T727V\_ WE



E83T727V\_ WD



E8330FSG\_ WE



E8330FSG\_ WD



E8330FSGN\_ WE



E8330FSGN\_ WD



E8331TB\_ WE



E8331TB\_ WD



E8331RJS4\_ WE



E8331RJS4\_ WD

Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
<b>Hotel Series</b>				
DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)	White	E8331BPDMW_WE_G8	4137	1
	Wine Gold	E8331BPDMW_WG_G8	6206	10
	Dark Grey	E8331BPDMW_DG_G8	6206	1
	Metal Gold Hairline	E8331BPDMW_GH_G8	6206	10
	Light Wood	E8331BPDMW_LW_G8	6206	10
	Dark Wood	E8331BPDMW_WD_G8	6206	10
16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)	White	E8333DMWS_WE_G8	4012	1
	Wine Gold	E8333DMWS_WG_G8	6019	10
	Dark Grey	E8333DMWS_DG_G8	6019	1
	Metal Gold Hairline	E8333DMWS_GH_G8	6019	10
	Light Wood	E8333DMWS_LW_G8	6019	10
	Dark Wood	E8333DMWS_WD_G8	6019	10
250V 16A Electronic Keycard Switch	White	E8331EKT_WE	7228	1
	Wine Gold	E8331EKT_WG	10843	1
	Dark Grey	E8331EKT_DG	10843	1
	Metal Gold Hairline	E8331EKT_GH	10843	8
	Light Wood	E8331EKT_LW	10843	8
	Dark Wood	E8331EKT_WD	10843	1
Panic Button with Key Reset	White	E8331KPB_WE	991	1
	Wine Gold	E8331KPB_WG	1652	1
	Dark Grey	E8331KPB_DG	1652	1
	Metal Gold Hairline	E8331KPB_GH	1652	1
	Light Wood	E8331KPB_LW	1652	1
	Dark Wood	E8331KPB_WD	1652	1
10A 2 Gang Mechanical Curtain Switch	White	E8332C_WE_G8	858	1
	Wine Gold	E8332C_WG_G8	1286	10
	Dark Grey	E8332C_DG_G8	1286	1
	Metal Gold Hairline	E8332C_GH_G8	1286	10
	Light Wood	E8332C_LW_G8	1286	10
	Dark Wood	E8332C_WD_G8	1286	10
115/240V 20VA Universal Version Shaver	White	E83T727V_WE	4086	1
	Wine Gold	E83T727V_WG	6808	1
	Dark Grey	E83T727V_DG	6808	1
	Metal Gold Hairline	E83T727V_GH	6808	1
	Light Wood	E83T727V_LW	6808	1
	Dark Wood	E83T727V_WD	6808	1
<b>Connection Units</b>				
13A 250V 1 Gang Fused Connection Unit	White	E8330FSG_WE	1133	10
	Wine Gold	E8330FSG_WG	1269	10
	Dark Grey	E8330FSG_DG	1269	1
	Light Wood	E8330FSG_LW	1269	1
	Dark Wood	E8330FSG_WD	1269	10
	13A 250V 1 Gang Fused Connection Unit with Neon	White	E8330FSGN_WE	1229
Wine Gold		E8330FSGN_WG	1584	10
Dark Grey		E8330FSGN_DG	1584	1
Light Wood		E8330FSGN_LW	1584	1
Dark Wood		E8330FSGN_WD	1584	10
13A 250V 1 Gang Fused Connection with DP Switch and Neon		White	E8331DFSGN_WE	2218
	Wine Gold	E8331DFSGN_WG	3696	10
	Dark Grey	E8331DFSGN_DG	3696	1
	Light Wood	E8331DFSGN_LW	3696	1
	Dark Wood	E8331DFSGN_WD	3696	10
	25A 250V 1 Gang Connection Unit	White	E8331TB_WE	986
Wine Gold		E8331TB_WG	1642	10
Dark Grey		E8331TB_DG	1642	1
Metal Gold Hairline Light		E8331TB_GH	1642	10
Wood		E8331TB_LW	1642	1
Dark Wood		E8331TB_WD	1642	10
<b>Telecom, Network, Connectivity &amp; Media Series</b>				
1 Gang Telephone Socket, Shuttered Wallplate	White	E8331RJS4_WE	631	1
	Wine Gold	E8331RJS4_WG	1052	1
	Dark Grey	E8331RJS4_DG	1052	1
	Metal Gold Hairline	E8331RJS4_GH	1052	1
	Light Wood	E8331RJS4_LW	1052	10
	Dark Wood	E8331RJS4_WD	1052	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# AvatarOn - It's also a Switch



E8332RJS4\_WE



E8331RJS5\_WE



E8332RJS5\_WE



E8331RJS6\_WE



E8332RJS6\_WE



E8331TV\_WE



E8331TVSF\_WE



E8332TVFMM\_WE



E8332TDRJS5\_WE



E8332TVRJS5\_WE



E8332HDUSB\_WE



E8332HDRJS5\_WE



E8332HDHD\_WE



E8331RCA\_S\_WE



E8332HD15PH\_WE



E8331VC\_WE



E8331SC\_WE



E8332SC\_WE



E8331RJS\_WE



E8332RJS\_WE

Product Description	Color	Product Ref. No.	Unit MRP	Pack
2G Tel Socket, Shuttered Wallplate	White	E8332RJS4_WE	1478	1
	Wine Gold	E8332RJS4_WG	2218	1
	Dark Grey	E8332RJS4_DG	2218	1
1 Gang RJ45 Data Cat5E, Shuttered	White	E8331RJS5_WE	986	1
	Wine Gold	E8331RJS5_WG	1642	1
	Dark Grey	E8331RJS5_DG	1642	1
	Metal Gold Hairline Light	E8331RJS5_GH	1642	1
	Wood	E8331RJS5_LW	1642	10
	Dark Wood	E8331RJS5_WD	1642	1
	White	E8332RJS5_WE	1721	1
2 Gang RJ45 Data Cat5E, Shuttered	Wine Gold	E8332RJS5_WG	2870	1
	Dark Grey	E8332RJS5_DG	2870	1
	Metal Gold Hairline Light	E8332RJS5_GH	2870	10
	Wood	E8332RJS5_LW	2870	10
	Dark Wood	E8332RJS5_WD	2870	1
1 Gang RJ45 Data Cat6, Shuttered	White	E8331RJS6_WE	1177	1
	Wine Gold	E8331RJS6_WG	1766	1
2 Gang RJ45 Data Cat6, Shuttered	Dark Grey	E8331RJS6_DG	1766	1
	White	E8332RJS6_WE	2208	1
	Wine Gold	E8332RJS6_WG	3312	1
1 Gang TV Socket, 75Ω, Through-Connect	Dark Grey	E8331L1_DG_G8	662	1
	White	E8331TV_WE	497	1
	Wine Gold	E8331TV_WG	828	1
	Dark Grey	E8331TV_DG	828	1
	Metal Gold Hairline Light	E8331TV_GH	828	10
	Wood	E8331TV_LW	828	10
	Dark Wood	E8331TV_WD	828	1
1 Gang TV Socket, Slave 5-1000	White	E8331TVSF_WE	550	10
	Wine Gold	E8331TVSF_WG	828	10
	Dark Grey	E8331TVSF_DG	828	1
2 Gang TV Master/FM Socket	White	E8332TVFMM_WE	1995	10
	Wine Gold	E8332TVFMM_WG	2993	10
	Dark Grey	E8332TVFMM_DG	2993	1
1 Gang Tel + RJ45 Data Cat5E, Shuttered	White	E8332TDRJS5_WE	1478	1
	Wine Gold	E8332TDRJS5_WG	2464	1
	Dark Grey	E8332TDRJS5_DG	2464	1
	Metal Gold Hairline Light	E8332TDRJS5_GH	2464	1
	Wood	E8332TDRJS5_LW	2464	10
	Dark Wood	E8332TDRJS5_WD	2464	1
	White	E8332TVRJS5_WE	1833	1
1 Gang TV+ RJ45 Data Cat5E, Shuttered	Wine Gold	E8332TVRJS5_WG	3057	1
	Dark Grey	E8332TVRJS5_DG	3057	1
	Metal Gold Hairline Light	E8332TVRJS5_GH	3057	1
	Wood	E8332TVRJS5_LW	3057	10
	Dark Wood	E8332TVRJS5_WD	3057	1
1 Gang TV+ RJ45 Data Cat6, Shuttered	White	E8332TVRJ6_WE	1833	1
	Wine Gold	E8332TVRJ6_WG	3057	1
	Dark Grey	E8332TVRJ6_DG	3057	1
HDMI + USB Socket	White	E8332HDUSB_WE	4092	1
	Wine Gold	E8332HDUSB_WG	6818	8
	Dark Grey	E8332HDUSB_DG	6818	1
HDMI + RJ45 Data Cat5E, Shuttered	White	E8332HDRJS5_WE	2490	1
	Wine Gold	E8332HDRJS5_WG	3734	1
	Dark Grey	E8332HDRJS5_DG	3734	1
2 Gang HDMI+HDMI , Keystone on Wallplate	White	E8332HDHD_WE	2244	1
	Wine Gold	E8332HDHD_WG	3740	8
	Dark Grey	E8332HDHD_DG	3740	1
RCA/S-Video Socket	White	E8331RCA_S_WE	1575	1
	Wine Gold	E8331RCA_S_WG	2363	1
	Dark Grey	E8331RCA_S_DG	2363	1
VGA + Mini Audio	White	E8332HD15PH_WE	1575	1
	Wine Gold	E8332HD15PH_WG	2363	1
	Dark Grey	E8332HD15PH_DG	2363	1
Volume control, 5W, 8Ohm	White	E8331VC_WE	1785	1
	Wine Gold	E8331VC_WG	2678	10
	Dark Grey	E8331VC_DG	2678	1
Speaker Connection, One Pair	White	E8331SC_WE	1516	10
	Wine Gold	E8331SC_WG	2275	10
	Dark Grey	E8331SC_DG	2275	1
Speaker Connection, Two Pair	White	E8332SC_WE	2100	1
	Wine Gold	E8332SC_WG	3150	1
	Dark Grey	E8332SC_DG	3150	1
1 Gang S Keystone Wallplate (w/o Mod)	White	E8331RJS_WE	466	10
	Wine Gold	E8331RJS_WG	700	10
	Dark Grey	E8331RJS_DG	700	1
2 Gang S Keystone Wallplate (w/o Mod)	White	E8332RJS_WE	875	10
	Wine Gold	E8332RJS_WG	1314	10
	Dark Grey	E8332RJS_DG	1314	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# NEO - Face the Future



- **Unique** - Horizontal Switches available for Horizontal Decor
- **Stylish** - Ingenious combination of matt and gloss finish along with a fresh look through use of LED technology
- **Convenient** - Switches with soft, luminiscent “locators” to locate the switch in dark
- **Dual Tone Colours** - Standard colours include Grey and White incorporating Blue and White LED respectively



E3033H1EBGS



E3032H1EWWW



E3032H1FWWW



E3032V1EBGS



E3031V1EWWW



E3032V1FWWW

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
<b>Grey Switches with Blue LED Indicator</b>						
10AX 250V 1 Gang 1 Way Switch	E3031H1EBGS	890	1	E3031V1EBGS	890	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EBGS	1040	1	E3031V2EBGS	1040	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EBGS	1392	1	E3032V1EBGS	1392	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EBGS	1640	1	E3032V2EBGS	1640	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EBGS	2039	1	E3033V1EBGS	2039	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EBGS	2402	1	E3033V2EBGS	2402	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EBGS	2536	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EBGS	2999	1	-	-	-
<b>White Switches with White LED Indicator</b>						
10AX 250V 1 Gang 1 Way Switch	E3031H1EWWW	864	1	E3031V1EWWW	864	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EWWW	996	1	E3031V2EWWW	996	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EWWW	1378	1	E3032V1EWWW	1378	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EWWW	1595	1	E3032V2EWWW	1607	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EWWW	1950	1	E3033V1EWWW	1950	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EWWW	2262	1	E3033V2EWWW	2262	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EWWW	2478	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EWWW	2936	1	-	-	-
<b>White Switches with White Fluorescent Indicator</b>						
10AX 250V 1 Gang 1 Way Switch	E3031H1FWWW	859	1	E3031V1FWWW	859	1
10AX 250V 1 Gang 2 Way Switch	E3031H2FWWW	968	1	E3031V2FWWW	968	1
10AX 250V 2 Gang 1 Way Switch	E3032H1FWWW	1372	1	E3032V1FWWW	1372	1
10AX 250V 2 Gang 2 Way Switch	E3032H2FWWW	1601	1	E3032V2FWWW	1601	5
10AX 250V 3 Gang 1 Way Switch	E3033H1FWWW	1945	1	E3033V1FWWW	1945	5
10AX 250V 3 Gang 2 Way Switch	E3033H2FWWW	2294	5	E3033V2FWWW	2294	5
10AX 250V 4 Gang 1 Way Switch	E3034H1FWWW	2509	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2FWWW	2961	1	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# NEO - Face the Future



E3031VBP>GS-OS



E3031VD20>EWWW-OS



E3426/10IS>GS-OS



EH3015/6>GS-OS



E3031TV>GS-OS



E3031RJ5E>WW-OS



E3031USB\_GS



E3031USB\_WW



E3032HDM>GS-OS



E3031EKTH>WW-OS

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
<b>Bell Push</b>						
4A 1 Way Horizontal Bell Push Switch	E3031HBP>GS-OS	1855	1	E3031HBP>WW-OS	1817	1
4A 1 Way Vertical Bell Push Switch	E3031VBP>GS-OS	1824	1	E3031VBP>WW-OS	1792	1
<b>DP Switches</b>						
1 Gang Horizontal 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031HD20EBGS	1544	1	E3031HD20EWWW	1505	1
1 Gang Vertical 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VD20>EBGS-OS	1505	1	E3031VD20>EWWW-OS	1454	1
1 Gang 32A DP Rocker Switch with Blue LED for Grey Switch and White LED for White Switch	E3031DR32EBGS	2262	1	E3031DR32EWWW	2179	1
<b>Intermediate Switch</b>						
16AX Intermediate Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VIA>EBGS-OS	2440	1	E3031VIA>EWWW-OS	2344	1
<b>Socket</b>						
15A 1 Gang Switch Socket Outlet Grey with Blue LED for Grey Socket and White LED for White Socket	E3015/15-EBGS-EX	2649	1	E3015/15-EWWW-EX	2573	1
10A International Socket	E3426/10IS>GS-OS	2071	1	E3426/10IS>WW-OS	1982	1
6A 1 Gang Switch Socket Outlet	EH3015/6>GS-OS	1531	1	EH3015/6>WW-OS	1474	1
6/16A 1 Gang Switch Socket Outlet	EH3015/16/6>GS-OS	2141	1	EH3015/16/6>WW-OS	2090	1
<b>Fan Regulators &amp; Dimmers</b>						
1 Gang Fan Control	E3031FRGS	2478	3	E3031FRWW	2242	3
1 Gang Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3031HD>EBGS-OS	14846	1	E3031HD>EWWW-OS	14700	1
2 Gang Horizontal Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3032HD>EBGS-OS	26034	1	E3032HD>EWWW-OS	25309	1
<b>Accessories</b>						
1 Gang TV Socket Outlet	E3031TV>GS-OS	1378	1	E3031TV>WW-OS	1344	1
2 Gang TV Socket Outlet	E3032VTV>GS-OS	2687	1	E3032VTV>WW-OS	1386	1
4 Pin 1 Gang Telephone Outlet (CAT 3)	E3031RJ>GS-OS	1601	1	E3031RJ>WW-OS	1519	1
4 Pin 1 Gang 8 Pin Data Outlet (CAT 5E)	E3031RJ5E>GS-OS	4232	1	E3031RJ5E>WW-OS	4079	1
4 Pin 2 Gang Telephone Outlet (CAT 3)	E3032RJ>GS-OS	2859	1	E3032RJ>WW-OS	2687	1
4 Pin Telephone Outlet (CAT 3) + 8 Pin Data Outlet (CAT 5E)	E3032TD>GS-OS	5215	1	E3032TD>WW-OS	5045	1
25A Connection Unit	E3031TB>GS-OS	1212	1	E3031TB>WW-OS	1162	1
1 Gang Blank Plate	E3030X>GS-OS	783	1	E3030X>WW-OS	747	1
2 Gang Blank Plate	ET3030X>GS-OS	1747	1	ET3030X>WW-OS	1683	1
<b>USB Charger</b>						
1 x 2.1A USB Charger	E3031USB_GS	5612	1	E3031USB_WW	5370	1
1 x 2.1A USB Charger(ISI)	E3031USB_GS_G8	5880	10	E3031USB_WW_G8	5625	10
<b>Hotel Series</b>						
2 Gang "Do Not Disturb" & "Please Clean Up" Combined (Horizontal)	E3032HDM>GS-OS	8049	1	E3032HDM>WW-OS	7801	1
1 Gang "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3030VDM>GS-OS	7497	1	E3030VDM>WW-OS	7090	1
1 Gang Bell Push with "Please Clean Up" Combined (Vertical)	E3031VBPM>GS-OS	6149	1	E3031VBPM>WW-OS	5927	1
1 Gang Bell Push with "Do not Disturb" Combined (Vertical)	E3031VBPD>GS-OS	6149	1	E3031VBPD>WW-OS	5927	1
1 Gang Bell Push with "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3031VBPDM>GS-OS	6149	1	E3031VBPDM>WW-OS	5927	1
Electronic Key Card Switch (Horizontal)	E3031EKTH>GS-OS	17050	1	E3031EKTH>WW-OS	16599	1
115/240V Shaver Outlet (Vertical)	ET3727V>GS-OS	8848	1	ET3727V>WW-OS	8678	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



# ULTI Impress - The Ultimate Switch



- **Super Stylish** - Single piece face plate with maximized space for plate along with soft radiant blue/amber backlight for switches
- **Multiple Finish Options** - Crystal Glass, Champagne Gold, Brushed Silver, Pearl White
- **Technological Marvel** - Mechanical switch with touch and feel of electronic switch with patented impress mechanism
- **Strength & Durability** - Ionized metal grid for back housing plate
- **Automation Alignment** - Lighting Control & Automation available in same finish



1 Gang Switch with Crystal Glass Plate



2 Gang Switch with Pearl White Plate



4 Gang Switch with Brushed Silver Plate



Bell Push with Champagne Gold Plate



6-16A Switched Socket with Crystal Glass Plate

Description	Colour	Reference	Unit MRP [₹]	Pack
<b>Switches</b>				
1 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U201SPM/1>B00-OS	5044	1
1 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U201SPM/2>B00-OS	5463	1
Cover Plate for 1 Gang Switch	Brushed Silver	UC21SW/P>XBS-OS	1516	1
	Champagne Gold	UC21SW/P>XCG-OS	1516	1
	Crystal Glass	UC21SW/P>XGL-OS	6510	1
	Pearl White	UC21SW/P>XPW-OS	1516	1
2 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U202SPM/1>B00-OS	6725	1
2 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U202SPM/2>B00-OS	7553	1
Cover Plate for 2 Gang Switch	Brushed Silver	UC22SW/P>XBS-OS	2161	1
	Champagne Gold	UC22SW/P>XCG-OS	2161	1
	Crystal Glass	UC22SW/P>XGL-OS	7448	1
	Pearl White	UC22SW/P>XPW-OS	2161	1
4 Gang 250V 16AX, 1 Way Switch module with Blue LED	Module	U204SPM/1>B00-OS	11433	1
4 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U204SPM/2>B00-OS	12882	1
Cover Plate for 4 Gang Switch	Brushed Silver	UC24SW/P>XBS-OS	3429	1
	Champagne Gold	UC24SW/P>XCG-OS	3429	1
	Crystal Glass	UC24SW/P>XGL-OS	9030	1
	Pearl White	UC24SW/P>XPW-OS	3429	1
<b>Double Pole Switch</b>				
1 Gang 250V 20A Double Pole Switch module with Blue LED	Module	U201SPM/DP>B00-OS	6725	1
Cover Plate for 1 Gang DP Switch	Brushed Silver	UC21DP/P>XBS-OS	2100	1
	Champagne Gold	UC21DP/P>XCG-OS	2100	1
	Crystal Glass	UC21DP/P>XGL-OS	6306	1
	Pearl White	UC21DP/P>XPW-OS	2100	1
<b>Bell Push</b>				
Bell Push Switch Module with Blue LED	Module	US31BPB00	2575	1
Cover Plate for Bell Press Switch	Brushed Silver	UC31BPXBBS	2056	1
	Champagne Gold	UC31BPXCGB	2056	1
	Crystal Glass	UC31BPXGL	6725	1
	Pearl White	UC31BPXPWB	2056	1
<b>Sockets</b>				
6-16A Switched Socket	Module	US15/616000	5976	1
Cover Plate for 6-16A Switched Socket	Brushed Silver	UC15/616XBS	3219	1
	Champagne Gold	UC15/616XCB	3219	1
	Crystal Glass	UC15/616XGL	8401	1
	Pearl White	UC15/616XPWB	3219	1
6A 2/3 Pin Switched Socket	Module	US15/6U000	5055	1
Cover Plate for 6A 2/3 Pin Switched Socket	Brushed Silver	UC15/6UXBS	2756	1
	Champagne Gold	UC15/6UXCB	2756	1
	Crystal Glass	UC15/6UXGL	7134	1
	Pearl White	UC15/6UXPWB	2756	1
<b>International Socket</b>				
International Socket	Module	US426/16IS000	3060	1
Cover Plate for International Socket	Brushed Silver	UC426/16ISXBS	2150	1
	Champagne Gold	UC426/16ISXCB	2150	1
	Crystal Glass	UC426/16ISXGL	6091	1
	Pearl White	UC426/16ISXPWB	2150	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021



# ULTI Impress - The Ultimate Switch



Data Socket with Brushed Silver Cover Plate



Twin Data Socket with Crystal Glass Cover Plate



Keycard switch with Brushed Silver Cover Plate



Shaver Socket with Champagne Gold Cover Plate

Description	Colour	Reference	Unit MRP [₹]	Pack
<b>Accessories</b>				
TV Socket Module	Module	US31TV000	2575	1
	Brushed Silver	UC31TVXBS	2470	1
	Champagne Gold	UC31TVXCG	2470	1
Cover Plate for TV Socket	Crystal Glass	UC31TVXGL	8186	1
	Pearl White	UC31TVXPW	2470	1
	Module	UD31RJ000	3219	1
	Brushed Silver	UDC31RJXBS	2470	1
Cover Plate for Data Socket	Champagne Gold	UDC31RJXCG	2470	1
	Crystal Glass	UDC31RJXGL	8181	1
	Pearl White	UDC31RJXPW	2470	1
	Module	UD32TD000	4922	1
Twin Data Socket Module	Brushed Silver	UDC32TDXBS	2470	1
	Champagne Gold	UDC32TDXCG	2470	1
	Crystal Glass	UDC32TDXGL	8291	1
	Pearl White	UDC32TDXPW	2470	1
Blank Module Module	Module	US31X000	2949	1
	Brushed Silver	UC31XXBS	2685	1
	Champagne Gold	UC31XXCG	2685	1
	Crystal Glass	UC31XXGL	5474	1
	Pearl White	UC31XXPW	2685	1
<b>USB Chargers</b>				
1 Gang 2.1A USB Charger Module	White	US31USB_WE	3775	1
	Grey	US31USB_GY	3775	1
1 Gang 2.1A USB Charger Module(ISI)	White	US31USB_WE_G8	3964	1
	Grey	US31USB_GY_G8	3964	1
Cover Plate for 1 Gang 2.1A USB Charger	Brushed Silver	UC31USB_XBS	2646	1
	Champagne Gold	UC31USB_XCG	2646	1
	Crystal Glass	UC31USB_XGL	7899	1
	Pearl White	UC31USB_XPW	2646	1
<b>Hotel Series</b>				
Keycard Switch with Cover Plate	Brushed Silver	U31EKTHBBS	11648	1
	Champagne Gold	U31EKTHACG	11648	1
	Crystal Glass	U31EKTHBGL	15336	1
	Pearl White	U31EKTHBPW	11648	1
Shaver Socket with Cover Plate	Brushed Silver	US727HXBS	9834	1
	Champagne Gold	US727HXCG	9834	1
	Crystal Glass	US727HXGL	14327	1
	Pearl White	US727HXPW	9834	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Kavacha - Weather Protected Series



WHT20-GY-EX



CSW110-GY-EX



A3031WBP\_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP [₹]	Pack
<b>Kavacha IP56 Surface Mount Switches</b>			
<b>Switches with Looping Terminal</b>			
10A 1 Gang 2 Way Switch	CSW110-GY-EX	2116	1
20A/16A 1 Gang 2 Way Switch	CSW120-GY-EX	2428	1
10 A 2 Gang 2 Way Switch	CSW110/2-GY-EX	2879	1
20A/16A 1 Gang 2 Way Switch	CSW120/2-GY-EX	3225	1
10A 1 Gang 2 Way Bell Press Return Switch	CSW110BPR-GY-EX	2451	1
<b>Switches with Looping Terminal with Neon</b>			
10 A 1 Gang 2 Way surface switch with Looping Terminal with Neon	CSW110N-GY-EX	2409	1
10A 2 Gang 2 Way with Looping Terminal and Neon	CSW110/2N-GY-EX	3058	1
20A 1 Gang 2 Way with Looping Terminal with Neon	CSW120N-GY-EX	3689	1
20A/16A 2 Gang 2 Way with Looping Terminal with Neon	CSW120/2N-GY-EX	3723	1
<b>Double Pole Switches</b>			
20A 1 Gang Double Pole Switch	CSW220-GY-EX	3323	1
20A 2 Gang Double Pole Switch	CSW220/2-GY-EX	3473	1
<b>Kavacha Heavy Duty Isolator Switches</b>			
20A Double Pole	WHB220-RG	3663	1
20A Triple Pole	WHT20-GY-EX	4052	1
35A Triple Pole	WHT35-GY-EX	4555	1
55A Triple Pole	WHT55-GY-EX	4849	1
63A Triple Pole	WHT63-GY-EX	5189	1
<b>Kavacha IP56 Surface Mount Combined Switched Socket Outlets</b>			
<b>Combination Switch Socket Outlets</b>			
16A Single Pole Switched Socket Outlet	CSC316RP-GY-EX	3497	1
16A Single Pole Switched Socket Outlet with Neon	CSC316RPN-GY-EX	3768	1
<b>Kavacha IP56 Surface Mount Socket Outlets</b>			
16A Socket Outlet	CSO316RP-GY-EX	2070	1
<b>Kavacha Full-Time Weatherproof Cover</b>			
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	852	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP ₹	Pack
<b>Metal Boxes for Indian Format Ranges (Livia, Opale Clipsal X, Unica Pure &amp; ZENcelo India) <span style="background-color: orange; color: white; padding: 2px;">NEW</span></b>			
<b>0.8 mm thickness</b>			
Metal Box 1 & 2 modules	ME0102	89	20
Metal Box 3 modules	ME0103	115	20
Metal Box 4 modules	ME0104	132	20
<b>1 mm thickness</b>			
Metal Box 1 & 2 modules	MR1102	99	20
Metal Box 3 modules	MR1103	130	20
Metal Box 4 modules	MR1104	150	20
Metal Box 6 modules	MR1106	204	10
Metal Box 8 modules - Horizontal	MR1108	264	10
Metal Box 8 modules - Square	MR1109	264	10
Metal Box 12 module	MR1112	340	5
Metal Box 18 modules	MR1118	402	5

Description	Reference	Unit MRP ₹	Pack
<b>Metal Boxes for BS Format Ranges (AvatarON,ZENcelo BS, NEO, ULTI) - New &amp; Improved Design <span style="background-color: orange; color: white; padding: 2px;">NEW</span></b>			
<b>Use Bracket/Frame to ensure alignment of switches on 2/3/4 Gang Metal Box (refer to Avataraon section for references)</b>			
<b>1 mm thickness</b>			
2 GANG GI Metal Boxes	MM1102	247	20
3 GANG GI Metal Boxes	MM1103	350	20
4 GANG GI Metal Boxes	MM1104	453	20

- Special Metal Box with Gang Partition to accommodate BS format ranges
- Single Metal Box can accommodate up to 4 units
- Number of Gangs for Metal Box = Number of units that it can accommodate (Eg. 3 GANG Metal Box can accommodate up to 3 BS format Units)

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# EzInstall 3 - ULTI ZIGBEE



Crystal Glass



Brushed Silver



Champagne Gold



Pearl White

- 2 wire design, True Retrofit
- Intelligent dimmer with Auto Load Detection feature
- Capability to dim or switch on/off different load types (in case of non dimmable loads connected to dimmer)
- Very high network scalability with Peer to Peer Mesh technology
- Each unit (switch, dimmer) is a repeater – no need for any additional repeater
- Moods created at a touch of a button
- ZigBee protocol is based on the IEEE802.15.4 standard and works on 2.4GHz radio frequency

Description	Catalogue No.	Unit MRP [₹]
2 Gang 2X1000VA Zigbee Switch	U202SRY2KWZB	29193
2 Gang Switch Coverplate - Brushed Silver	UC22SWXBS	2792
2 Gang Switch Coverplate - Pearl White	UC22SWXPW	2792
2 Gang Switch Coverplate - Champagne Gold	UC22SWXCG	2665
2 Gang Switch Coverplate - Crystal Glass	UC22SWXGL	9369
1 Gang 550W Zigbee Dimming Switch	U201DST600ZB	26145
1 Gang Dimmer Coverplate - Pearl White	UC21DMXPW	3214
1 Gang Dimmer Coverplate - Champagne Gold	UC21DMXCG	3214
2 Gang 2X300W Zigbee Dimming Switch	U202DST600ZB	30308
2 Gang Dimmer Coverplate - Brushed Silver	UC22DMXBS	3214
2 Gang Dimmer Coverplate - Pearl White	UC22DMXPW	3214
2 Gang Dimmer Coverplate - Champagne Gold	UC22DMXCG	3214
1 Gang 300VA Zigbee Curtain Control Switch	U201SCN300ZB	31667
1 Gang Curtain Coverplate - Pearl White	UC21CNXPW	2888
Description	Reference	Unit MRP [₹]
1 Gang 16A Zigbee Double Pole	U301SDP16AZB	26047
1 Gang DP Cover Plate – Crystal Glass	UC21DPXGL	8639
1 Gang DP Cover Plate – Pearl White	UC21DPXPW	2726
1 Gang DP Cover Plate – Brushed Silver	UC21DPXBS	2850
1 Gang DP Cover Plate – Champagne Gold	UC21DPXCG	2478

Description	Catalogue No.	Unit MRP [₹]
1 Gang Curtain Coverplate - Crystal Glass	UC21CNXGL	8337
2 Gang 2X300VA Zigbee Curtain Control Switch	U202SCN600ZB	31838
2 Gang Curtain Coverplate - Champagne Gold	UC22CNXCG	3214
500W ZigBee IND PlugAdaptor Dimmer Wh	U104ND500ZB_WE	24991
Zigbee Handheld Remote Controller	U105RHH001ZB	17801
2 Key Zigbee Freelocate Switch, Brushed Silver	U102RWMZB_XBS	11364
2 Key Zigbee Freelocate Switch, Champagne Gold	U102RWMZB_XCG	11364
2 Key Zigbee Freelocate Switch, Pearl White	U102RWMZB_XPW	11364
6 Key Zigbee Freelocate Switch, Brushed Silver	U106RWMZB_XBS	15360
6 Key Zigbee Freelocate Switch, Champagne Gold	U106RWMZB_XCG	15360
6 Key Zigbee Freelocate Switch, Crystal Glass	U106RWMZB_XGL	23204
6Key Zigbee Freelocate Switch, Pearl White	U106RWMZB_XPW	16028
Zigbee IR Gateway	U301RSDMZB	27199
Zigbee IP Gateway	U301PGWZB	28128
Zigbee Analog Module	U30010V	14342

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Hotel Series

## ULTI ELV



- ULTI style, state-of-art lighting control and electrical automation scheme for hotel guest room control, offering sophisticated design
- Light touch buttons equipped with LED backlight enable guest to locate switch in a dark environment
- Comparative with Universal Input/ Output module (Room Logic Gateway -RLG) or third party guestroom control system

Description	MOQ	Reference	Unit MRP [₹]
DND/PCU Control Switch	1	US32DMRJ000	4890
Cover Plate for DND/PCU Switch	1	UC32HDMSXCG	3396
DND/PCU Indicator w/Bell Press (Blue)	1	US33DMRJB00	4018
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXCG	3396
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXBS	3396
Cardkey Switch (Low Voltage)	1	U31EKTHLVBBS	10280
1 Gang ELV Switch (Blue)	1	U201SPM_RJ_B00	2748

Description	MOQ	Reference	Unit MRP [₹]
2 Gang ELV Switch- BLUE	1	U202SPM_RJ_B00	3392
Coverplate for 2 Gang ELV switch	1	UC22SWXCG	2665
Coverplate for 2 Gang ELV switch	1	UC22SWXBS	2792
Coverplate for 2 Gang ELV switch	1	UC22SWXGL	9369
Coverplate for 2 Gang ELV switch	1	UC22SWXPW	2792
4 Gang ELV Switch- BLUE	1	U204SPM_RJ_B00	4979
Coverplate for 4 Gang ELV switch	1	UC24SW_XCG	2706
Coverplate for 4 Gang ELV switch	1	UC24SW_XBS	2583
Coverplate for 4 Gang ELV switch	1	UC24SW_XGL	10002
Coverplate for 4 Gang ELV switch	1	UC24SW_XPW	2706

### Colours Available (suffix as in coverplates above)

BS	Brushed Silver
PW	Pearl White
CG	Champagne Gold
GL	Crystal Glass
GL	Crystal Glass

## Neo ELV



Description	MOQ	Reference	Unit MRP [₹]
Bell Push with DND and MMR Indicator	1	E3031DMBLVEGGS	5490
DND/MMR Control switch	1	E3032DMLV>EAGS-OS	4580
Key card switch with Amber LED	1	E3031EKTHLVEAGS	8698

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Hotel Series

## Zencelo ELV



Description	MOQ	Reference	Unit MRP [₹]
1 Gang Sw W/ LED Indicator	1	E8431LV	3029
2 Gang Sw W/ LED Indicator, SZ	1	E8432LV_SZ	4370
3 Gang Sw W/ LED Indicator	1	E8433LV	4689
3 Gang Sw W/ LED Indicator, SZ	1	E8433LVSZ	6845
EIV Keycard Switch, SZ	1	E8431EKTLSVZ	7938
1 Gang Sw W/ DND, SZ	1	E8431DSLVSZ	2815
2 Gang Sw W/ DND & PCU, SZ	1	E8432DMSLVZ	3715
Bell Press W/ DND & PCU Indicator, SZ	1	E8431BDMLVSZ	4759
1 GANG SW W/ LED INDICATOR, SZ	1	E8431LV_SZ	3763

### Colours Available (suffix as above)

SZ	Silver Bronze
No suffix after LV	White Colour

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021





## Make your home smart with our Wiser - Smart Homes offering.

- Easy to operate
- Easy to maintain
- Easy to control
- Easy on pocket

A solution which blends with your existing Switches and all this without any change in Wiring.

With the Internet of Things taking over the lives, automation has made lives simpler and homes smarter.

Smart homes are the base to smart cities and a much secure lifestyle. It is a connected home technology that is designed to automate functions and grant you control over the property.

- Set the schedule, and the rest is automated and based on your personal preferences thus providing convenience, control, money savings, and an overall smarter home.
- Alerts about lights still switched on after leaving the house
- Make personalizations to the home using just an app

## Once there were smart homes, now there are Wiser™.

Smart homes are about technologies. Wiser Homes evolve around people. It adds a new dimension - being Stylish, Living Well and Eco-friendly Interlinks the electrical, multi-media and telecommunication worlds with a single and user-friendly solution - enabling you to monitor, control and access your home beyond physical boundaries at anytime, anywhere.

### Features

- Integrates with any existing switch.
- Interlinks the electrical, multi-media and telecommunications worlds through Wi-Fi, providing
  - True and easy integration for devices from different brands and makes.
- The intuitive graphic user interface with jargon-free language and self-explanatory icons is easy-to-use, while the interface is consistent across different control devices and no need to spend extra time to learn different control interfaces.
- Control and access home anywhere and at any time through the secured wireless connection.
  - With time scheduling, scene control



SE Ref.	Description of reference	Unit MRP [₹]
IH14000100	4 Channel Automation Relay	12786
IH101ZWIFI	Automation Gateway	35987
IH12001010	1 Channel Analog Dimmer + 1 Channel Fan Controller	15786
IH11000200	Curtain Controller	14915

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Surface and Flush Mount Occupancy Sensors



## PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	3306
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	3912
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	CCT551011	15887
ARGUS Presence Dual-Tech - 2ch	CCT551012	14805
ARGUS IR Remote Controller Dual-Tech	CCT556011	9034
ARGUS Presence High Frequency High Bay Sensor - 2ch	CCT551023	15887
ARGUS IR Remote Controller HF	CCT556023	9034
ARGUS Presence Wide Sense - 2ch	CCT551003	12816



## PIR Flush Mount Sensors

Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	CCT570005	4669
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	CCT570003	6781
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	7805



# Dimmable Sensors with Light Regulation

## 0-10V Analogue & Dali Dimmable Sensor

Description	Reference	Unit MRP [₹]
Flush/Surface Mount Dual Load 360° PIR, 0-10V Analogue Dimmable Sensor with remote	SAE-UE-MS-CDDWE	9534
ARGUS Presence DALI 230V - 2 zones	CCT552006	15535
ARGUS Presence DALI 230V - Slave	CCT555006	10308
ARGUS IR Remote Controller DALI	CCT556006	9034
ARGUS Presence Master with IR, DALI	MTN5510-1519	17378

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

## Wall Mount Sensors



### BS Standard & Outdoor IP55 Sensor

Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	E3751MS3C_GS	4402
Neo C-Metro 90 degrees wall mount sensor, grey colour	E3751MS3A_GS	4748
Zencelo 110 degrees wall mount sensor, white colour	E84751MS3B_WE	4344
Zencelo 90 degrees wall mount sensor, white colour	E84751MS3A_WE	4344
Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	MTN565119	6807
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	MTN565219	10502
<b>Accessories</b>		
Mounting bracket for Argus 110 and Argus 220 Sensors	MTN565291	952

## Hotel - ELV Dual Motion Sensor

Description	Reference	Unit MRP [₹]
ELV DUAL TECH MOTION SENSOR	SAE_UE_MS_CULV_WE	11228

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

# Timers & Time Switches

## Analog Time Switches



- 24H, 7D Programmable switch Voltage Rating: 230V AC +10%, -15%
- Memory: Upto 56 Switching Operations
- Back up of program: Operating reserve for 100, 200 Hours
- Overall dimensions: 5 modules
- Minimum time between two switching operations: 15, 30 min
- Accuracy:  $\leq \pm 1$  s/day at +20°C

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	4823
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	5260
IH 24H + 7 day 10 A 1 channel- Max 16 On, 16 Off and 7 On + 7 Off cycles	3	15366	8094
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	7907
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	4273

## Digital Time Switches



- 7D, 24H Programmable switch .Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	10365
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	12788
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	13370
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	23206
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	15081

## Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	5855
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	7894
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	7948

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021

## Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	12589
Analogue indoor light sensor cell	-	CCT15262	6336
Wall mounted Analogue outdoor light sensor cell	-	CCT15263	9628
IC100 (2 - 100 lux) twilight switch	1	CCT15482	10590
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	9437
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	23414
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	26984
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	34217
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	24475
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	19240

## Time switch accessories

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
Programming kit for IHP / IC	1	CCT15860	11102

## Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	25253

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 11, 2021











Life Is On

**Schneider**  
Electric

## Schneider Electric India Pvt. Ltd.

Corporate Office: 9th Floor, DLF Building No. 10, Tower C, DLF Cyber City, Phase II, Gurugram 122002 Haryana  
Tel.: ++91 124 6899000 Fax: ++91 124 4222036/037

### Ahmedabad

Schneider Electric India (P) Ltd.  
1506-1507, 15<sup>th</sup> Floor Shapth-5  
Opp.Karnavati Club, SG Highway,  
Ahmedabad, Gujarat - 380015  
Tel.: 079-66826701

### Coimbatore

Schneider Electric India (P) Ltd.  
Hanudev Info Tech Park, 6<sup>th</sup> Floor  
Unit No. Block-C, SF No. 558/2  
Udalyampalayam Road, Nava India  
Coimbatore-641028

### Lucknow

Schneider Electric India (P) Ltd.  
Summit, Plot No. TCG 3/3  
6<sup>th</sup> Floor, 604A/B/C, Vibhuti Khand  
Gomti Nagar, Lucknow  
Uttar Pradesh - 226010  
Tel.: 0522-3500334

### Nashik

Schneider Electric India (P) Ltd.  
401, 4<sup>th</sup> Floor, Rishi Raj Towers  
Jehan Circle, Gangapur Road  
Nashik- 422013  
Tel.: 0253-2344333

### Bengaluru

Schneider Electric India (P) Ltd.  
No. 3/1, JP Techno Park  
Mezzanine Floor, Millers Tank Bund  
Road, Vasanth Nagar  
Bengaluru - 560052  
Tel.: 080-71481351

### Hyderabad

Schneider Electric India (P) Ltd.  
D.No. 1-8-271, # 401, Ashoka  
Bhoopal Chambers, SP Road  
Secunderabad - 500003  
Tel.: 040-67219500

### Ludhiana

Schneider Electric India (P) Ltd.  
SCO 23, 2nd Floor,  
Chandigarh Road, Sector 32  
Ludhiana, Punjab-141010  
Tel.: 0161- 5203011

### New Delhi

Schneider Electric India (P) Ltd.  
C-56, Mayapuri Industrial Area, Phase-2  
New Delhi - 110064  
Tel.: 011-61317400

### Bhubaneswar

Schneider Electric India (P) Ltd.  
Workloop Co-Working in the property  
Office No. 316, Esplanade One Mall  
Rasulgarh, Bhubaneswar - 751010

### Indore

Schneider Electric India (P) Ltd.  
219, Dhan Trident Building  
Vijay Nagar, A.B.Road  
Indore-452001

### Mohali

Schneider Electric India (P) Ltd.  
2nd Floor, Tower-A  
Bestech Business Tower  
Mega Information & Technology Park  
Industrial Plot No.1, Phase IX  
(Expansion), Mohali- 160059  
Tel.: 0172-7198200

### Pune

Schneider Electric India (P) Ltd.  
Amar Caliber, CTS No 911, BMCC Road,  
OFF FC. Road, Deccan Gymkhana,  
Shivaji Nagar, Pune - 411007  
Tel.: 020-67492500

### Chennai

Schneider Electric India (P) Ltd.  
No: 29, 2<sup>nd</sup> Floor,  
Bannari Amman Towers, B-Block  
Dr. Radhakrishnan Road, Mylapore  
Chennai - 600 004  
Tel.:044-71912000

### Jaipur

Schneider Electric India (P) Ltd.  
Jaipur Business Centre 309  
3<sup>rd</sup> Floor, Sangam Tower 190  
Church Road, Jaipur-302001  
Tel.: 0141-2374810

### Mumbai

Schneider Electric India (P) Ltd.  
Marwah House, 2<sup>nd</sup> Floor  
Krishanlal Marwah Marg  
Andheri (East), Mumbai - 400072  
Tel.: 022-62280000

### Vadodara

Schneider Electric India (P) Ltd.  
Notus IT Park, 10<sup>th</sup> Floor, Block-D  
Sarabhai Campus, Vadiwadi  
Vadodara, Gujarat - 390017

### Cochin

Schneider Electric India (P) Ltd.  
Alapatt Properties Private Limited  
(Trade Name : Centre A)  
Main Door Number : 66/4971  
(Old Door Number: 40/6584-H)  
7<sup>th</sup> Floor Alapatt Heritage Building  
MG Road Kochi - 682035

### Kolkata

Schneider Electric (I)Pvt.Ltd,  
BP-4, Sector-V, Technopolis  
3<sup>rd</sup> Floor, Salt Lake City  
Kolkata- 700 091  
Tel.: 033-66576400

### Nagpur

Schneider Electric India (P) Ltd.  
6, Vasant Vihar Complex  
W.H.C Road, Shankar Nagar  
Nagpur- 440010  
Tel.: 0712-2558581

### Vishakhapatnam

Schneider Electric India (P) Ltd.  
D.N.10-1-43, 1<sup>st</sup> Floor  
Ratnam's Business Centre,  
Siripuram Fort, C.B.M.Compound  
Visakhapatnam - 530016  
Tel.: 0891-6675500

### Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.

Toll-free numbers: 1800 419 4272, 1800 103 0011

Email: [customercare.in@schneider-electric.com](mailto:customercare.in@schneider-electric.com)

For more information, visit our website at: [www.se.com/in](http://www.se.com/in)

- All Prices are in Indian Rupees.
- Prices are subject to change without notice.
- Product evolution is a continuous process and Schneider Electric reserves the right to modify/withdraw any product at any time without prior notice.
- Prices charged will be as prevailing on the date of dispatch.
- Maximum Retail Price (MRP) is inclusive of all taxes.
- Tax incidence on invoices is basis applicable GST rates. Invoice amount not to exceed MRP.

Distributor